

Which Side Are You On? A Multi-task Dataset for End-to-End Argument Summarisation and Evaluation

Hao Li^{♣*}, Yuping Wu[♣], Viktor Schlegel^{◇♣},
Riza Batista-Navarro[♣], Tharindu Madusanka[♣], Iqra Zahid[♣], Jiayan Zeng[♣]
Xiaochi Wang[♣], Xinran He[♣], Yizhi Li[♣] and Goran Nenadic[♣]

♣ The University of Manchester, United Kingdom

◇ ASUS Intelligent Cloud Services (AICS), Singapore

♣ The University of Leeds, United Kingdom

Abstract

With the recent advances of large language models (LLMs), it is no longer infeasible to build an automated debate system that helps people to synthesise persuasive arguments. Previous work attempted this task by integrating multiple components. In our work, we introduce an argument mining dataset that captures the end-to-end process of preparing an argumentative essay for a debate, which covers the tasks of **claim and evidence identification** (Task 1 ED), **evidence convincingness ranking** (Task 2 ECR), **argumentative essay summarisation** (Task 3 ASR) and **metric learning** for automated evaluation of resulting essays, based on human feedback along argument quality dimensions (Task 4 SQE). Our dataset contains 14k examples of claims that are fully annotated with the various properties supporting the aforementioned tasks. We evaluate multiple generative baselines for each of these tasks, including representative LLMs. We find, that while they show promising results on individual tasks in our benchmark, their end-to-end performance on all four tasks in succession deteriorates significantly, both in automated measures as well as in human-centred evaluation. This challenge presented by our proposed dataset motivates future research on end-to-end argument mining and summarisation. The repository of this project is available at <https://github.com/HarrywillDr/ArgSum-Datset>

1 Introduction

Crafting arguments for a debate requires a wealth of knowledge, meticulous logical thinking and a high level of command of language (Field, 2017). Recent trends treat this task as the automatic summarisation of a large body of debate-related material to alleviate the effort and time spent on brainstorming by stakeholders (Roush and Balaji, 2020). Most

of previous work split these processes into multi-component systems, including context-dependent claim detection (CDCD) (Daxenberger et al., 2017; Reimers et al., 2019; Cheng et al., 2021), claim stance classification (CSC) (Bar-Haim et al., 2017; Trautmann et al., 2020; Toledo-Ronen et al., 2020; Rajula et al., 2022), context-dependent evidence detection (CDED) (Iskender et al., 2021; Ein-Dor et al., 2020; Shnarch et al., 2018; Aharoni et al., 2014) and argument summarisation (AS) (Bar-Haim et al., 2020a,b; Yamada et al., 2019; Misra et al., 2016). However, thus far, these tasks have been approached in isolation without formulating them into an end-to-end process. This contradicts the natural sequence of actions in the debate preparation process (Rear, 2017), where outputs of previous tasks (e.g. finding relevant evidence) form the basis for the subsequent tasks (e.g. arranging claims and evidence in an argumentative essay).

The only comprehensive automated debating work at present is IBM’s Project Debater (Slonim et al., 2021). However, it is composed of multiple independent components, potentially giving rise to cascading errors, whereby errors made in any of the preceding components might be propagated and amplified in subsequent components (Kleinberg et al., 2007). Currently, there is no dataset supporting the development and evaluation of end-to-end systems. Furthermore, Project Debater lacks evaluative components; its argument quality component only considers how relevant potential candidate texts are to the debate topic.

Earlier works explored the assessment of the argument quality in various dimensions, like convincingness of arguments and evidence (Wambansang et al., 2020; Gleize et al., 2019; Potash et al., 2019; Habernal and Gurevych, 2016a; Cyra and Górski, 2011) and sufficiency checking (Gurcke et al., 2021; Wachsmuth and Werner, 2020a; Potash et al., 2019; Stab and Gurevych, 2017; Stab, 2017). Recent advances in large-scale language

*Corresponding email: hao.li-2@manchester.ac.uk




Figure 1: Overview of proposed annotation pipeline, which includes four main tasks. Task 1 identifies whether a snippet is an evidence for a given claim; Task 2 selects the appropriate evidence for each claim to make it the most persuasive; Task 3 generates a diversity of debate scripts for a given debate topic and stance then ranks them according to human preference, with the dimension of quality being measured in Task 4.

models (LLMs) such as GPT-3.5*, GPT-4 (OpenAI, 2023), LLaMA (Touvron et al., 2023) and Bard (Anil et al., 2023), resulted in the achievement of seemingly human-like generated text according to evaluation dimensions such as fluency and richness (Zhao et al., 2023). As such, the quality of their output falls short with respect to traditional argumentative quality criteria such as convincingness (Habernal and Gurevych, 2016b). At the same time, LLMs still exhibit deficiencies, such as the generation of false information (Azamfirei et al., 2023; Li et al., 2023b). Liu et al. (2023c) proposed a GPT-generated argumentative essay corpus with annotations by human experts to understand the lexical, syntactic and stylistic features of AI-generated content (AIGC). However, they do not take into account fact-checking the generated texts and assessing the quality of essays in terms of argumentative properties. Such evaluations are crucial in argument mining, as using false evidence to convince others can lead to untenable decisions.

To address these shortcomings, we have developed an end-to-end dataset that cohesively unifies these primary tasks and provides a comprehensive view of debate preparation (illustrated in Figure 1). We provide human annotations for each of the involved tasks as well as explore the performance of SotA LLMs on these tasks in an end-to-end manner, facilitating design and evaluation of automated debate assistant systems, aligned with human preferences. Our proposed dataset supports tasks that are broadly divided into two streams: (1) evidence detection (ED), (2) evidence convincingness ranking (ECR) and (3A) argument summarisation (AS), are concerned with finding evidence to support the arguments and arranging them into a narra-

tive. Meanwhile, (3B) argument summarisation ranking (ASR), learning to rank generated summaries from human preferences and (4) learning automated metrics for summary quality evaluation (SQE), are concerned with automating fine-grained evaluation of the generations from a (weak) human supervision signal. In particular, we design ED, ECR and SQE as classification tasks. AS is formulated as a summarisation task, aimed at generating debate scripts. We conduct an extensive empirical evaluation of the selected baselines on the proposed tasks. In addition, we rely on human assessments to verify the quality of the generated tasks, which showed a positive correlation between automated evaluation and human preference. In summary, the main contributions of this paper are:

- A benchmark dataset named Argument Summarisation and Evaluation (ASE) with four sub-tasks which cover the whole debate preparation process, and benchmarks for the proposed tasks with the LLMs.
- Investigation of the feasibility and performance of an end-to-end debate preparation assistant, evaluated by humans and automatic metrics based on human preference.

2 Related Work

One of the challenges in the field of argument mining is the lack of high-quality annotated arguments to serve as training and test data. Some work has been done to alleviate the situation, focussing on different sub-tasks such as claim identification (Rinott et al., 2015; Levy et al., 2018; Shnarch et al., 2020), stance identification (Bar-Haim et al., 2017; Jochim et al., 2018; Toledo-Ronen et al., 2018), evidence identification (Shnarch et al., 2018; Ein-

*<https://chat.openai.com>

Dor et al., 2020), automatic identification of relational properties (Habernal and Gurevych, 2015; Lawrence and Reed, 2017; Li et al., 2020; Liu et al., 2023a,b), argument summarisation and clustering (Misra et al., 2016; Reimers et al., 2019; Ajjour et al., 2019; Syed et al., 2023), key point analysis (Bar-Haim et al., 2020a; Friedman et al., 2021), and debate speech analysis (Mirkin et al., 2018; Lavee et al., 2019; Orbach et al., 2019, 2020). Others contributed to evaluation of argument quality, like convincingness ranking (Gleize et al., 2019; Toledo et al., 2019; Na and DeDeo, 2022), sufficiency checking (Gurcke et al., 2021; Wachsmuth and Werner, 2020b; Potash et al., 2019; Stab and Gurevych, 2017; Stab, 2017) or fact-checking (Azamfirei et al., 2023). However, all of these work focus on only one of the above-mentioned tasks, making them difficult to integrate due to the different data sources. Similar to our work is the IAM dataset (Cheng et al., 2022), but there, only arguments at the sentence-pair level are considered, building $\langle \text{claims}, \text{positions}, \text{evidence} \rangle$ tuples, instead of providing a document-level narrative to provide a comprehensive understanding; also, the resulting argument quality is not assessed. In addition, the proposed task focusses on long articles, whereas we focus on shorter, social-media style texts with non-standard structures.

3 Argument Summarisation and Evaluation Dataset

In this section, we discuss the process of data collection and annotation. The annotation process is divided into two main stages, each with two sub-tasks: Stage 1 includes the classification of evidence and the ranking of the persuasiveness of the evidence; Stage 2 is focussed on the quality of the generated summaries.

3.1 Data Collection

Evidence Collection: We collected 1881 pieces of evidence candidates supporting claims across 31 debate topics. To align well with existing argument mining resources, all debate topics and their underlying claims and non-argumentative texts are taken from the English ArgKP dataset (Bar-Haim et al., 2020a). Human annotators were asked to collect text snippets that are likely to support a given claim under the debate topic. Text snippets were allowed to be reused for multiple claims and are sourced from various open-source online forums, news, as

well as pre-existing datasets. In our dataset, the URL of the original source is clearly indicated for each evidence candidate.

Summary Collection: Each summary is a narrative consisting of (a) all main claims (also known as key points (Bar-Haim et al., 2020b)) for the same stance on the same topic taken from Bar-Haim et al. (2020a)’s dataset and (b) the evidence to support that claim. We refrain from relying on human annotators to write reference summaries directly, as this may exhibit considerable variability in the outcomes due to differences in writing style or knowledge limitations. Instead, we use LLMs (including GPT-4 (OpenAI, 2023), GPT-3.5*, GPT-3 (Brown et al., 2020), Bard† (Anil et al., 2023), LLaMA-65B (Touvron et al., 2023), GLM-130B (Zeng et al., 2022), Vicuna-13B‡, Alpaca-13B§ and BLOOM-176B (Scao et al., 2022)) to automatically generate the summaries, which are then evaluated by human annotators, both intrinsically (by ranking the summaries by preference) and extrinsically (by assigning scores along established argument quality dimensions).

3.2 Data Annotation

Task 1: Evidence Annotations: Using the Amazon Mechanical Turk (AMT) crowd-sourcing platform¶, we collected gold labels to associate the collected evidence with the arguments. For each piece of evidence, given the debate topic and argument as context, annotators were asked to answer the following two questions: “*Would you think the snippet is relevant to the argument?*” and “*Would you think the snippet supports the argument?*”. They were directed to label all evidence pieces relevant to the argument, and only if the answer to both questions was “yes” then it was considered to be a piece of evidence supporting the argument (see example in Appendix E.2). Each piece of evidence was annotated by at least four annotators. The ground truth label was decided by majority vote.

Task 2: Evidence Convincingness Annotations: Following Gretz et al. (2020) and Toledo et al. (2019), annotators were presented with a binary question per argument, asking “*In a conversation about the topic, where you can only give a single evidence out of the following two, which one*

†The backbone of the Bard at the completion of this work was PaLM2 instead of Gemini

‡<https://lmsys.org/blog/2023-03-30-vicuna/>

§<https://crfm.stanford.edu/2023/03/13/alpaca.html>

¶<https://www.mturk.com/>

would you rather use?”. Texts involved in the ranking are all the text snippets instead of the gold label obtained in Task 1 so that both ground truth-based and pipeline-based setting could be measured. After the annotation process was finished, we applied `milp_ranker`¹ to derive a ranking of all related pieces of evidence for an argument from corresponding pairwise comparisons we get from the annotations; the implementation details can be found in Appendix A. To align with annotated results in Task 1, irrelevant evidence (labelled as 0 in Task 1) was removed from the final ranked lists.

Task 3A: Argumentation Summary: Each topic was divided into two stances separately, to generate summaries using each of the models mentioned in Section 3.1 in different scenarios. Instead of giving definitive quantitative evidence, we instructed the model to select the appropriate evidence(s) to generate summaries, following the intuition that humans choose the most effective evidence to convince the audience (Lipton, 1993), during preparation, instead of relying on the quantity of evidence. However, the exact number of distinct pieces of evidence required to be convincing is an open question (Schwardmann et al., 2022). Specifically, we supply n pieces of evidence from S sources as input, where n is either *one*, *two* or *all* evidence pieces and S is either the gold standard evidence matched with a claim or predicted by the best-performing model on Task 2. We restricted our model choice to instruction fine-tuned models, to minimise the impact of prompt engineering, as performance of non-instruction-tuning models depended heavily on the choice of prompt and in-context-learning examples (e.g., GLM-130B, BLOOM-176B repeated input and LLaMA-65B summarised it into a single sentence).

Task 3B: Summary Ranking based on Human Preference: To provide assistance in training helpful, truthful and harmless tools (OpenAI, 2023), such as a debate assistant, we defined the evaluation of machine-generated summaries as a ranking task aligned with human preferences. In order to provide annotators with consistent assessment criteria and quantitative performance, we ask them to consider HELPFUL, TRUTHFUL, FLUENT and HARMLESS as the dimensions that measure the quality of the generated text Ouyang et al. (2022). We further use SIGNIFICANT, INFORMATIVE, FAITHFUL and SUFFICIENT as dimensions to measure the

quality of the summary as an argumentative text (Li et al., 2023a). Detailed definitions of the dimensions can be found in Appendix B.

The annotators were asked to rate the outputs on a Likert scale ranging from “The Best” (5) to “The Worst” (1) for each of the scenarios, with each score to be assigned only once. Finally, the annotators had to rank all 36 summaries. To obtain fine-grained rankings, we form the data into the ranked instances with at least two values separated by more than 1 and a total length of 4 that are sufficiently distinguished but when assembled together could show absolute ranking (for instance, given a ranking data set $A < B < C < D < E < F$, we split it into $A < B < D$; $B < C < E$; $C < D < F$; $D < E < F$). Based on the fact that each annotator’s preference may differ from others as well as the diversity in the models’ outputs, we normalise the performance of the model into scores using the Bradley–Terry model (Guo et al., 2018) and the two-parameter logistic model following the Item Response Theory (IRT) (Embretson and Reise, 2013) separately. The former quantifies the performance of the model on specific settings by pairwise comparisons, while the latter allows for an overall measure of the level of difficulty of the different settings; the detailed explanation and ablation experiments of both models can be found in Appendix C.

Task 4: Summary Quality Annotations: This task requires to rank the outputs and is simultaneously carried out with Task 3. We asked the annotators to assess factual errors, sufficiency (i.e. whether the given text can persuade readers to accept its stance) and logical coherence of each summary when ranking the summaries. They needed to identify the errors as described above and then mark their location.

3.3 Annotation Statistics and Analysis

For the purpose of integrating the components of the argument structure, we split the 31 available topics into 24 topics for training, 4 for tuning hyperparameters and determining early stopping (dev set), and 3 for testing, in line with previous work (Bar-Haim et al., 2020a). The data distribution is shown in Appendix D. In total, 2002 texts in Task 1 were considered relevant to some claim, of which 1456 were labelled as evidence; the number is higher than the 1881 unique evidence pieces, because each piece can support support multiple claims. For Task 2, two pieces of evidence for the same claim were paired together and a total

¹https://github.com/twoertwein/milp_ranker

of 6034 pairs were obtained. The annotation results were quantified into three labels based on the degree of convincingness of the former over the latter, i.e. “1” if the former is more convincing than the latter, “0” vice versa, and “0.5” when both are equally convincing. As shown in Table 14, in Task 3, claims for the same stance on a topic and the evidence supporting them were then summarised into a debate script. Generated by each of the six previously mentioned models according to the six settings, a total of 2232 unique summaries were obtained. The summaries were then ranked by humans along the evaluation dimensions mentioned in Task 4, resulting in 1488 pairwise rankings.

Randomness in Crowdsourcing Annotation Platforms and Spam Filtering Mechanism: AMT is a widely recognized and extensively used crowdsourcing annotation platform (Paolacci et al., 2010), but ensuring the quality of annotators is challenging (Aruguete et al., 2019). Consequently, we implemented two post-processing measures. On the one hand, to monitor and ensure the quality of the annotations collected, the following measures were employed: (1) **Test questions:** Inspired by Toledo et al. (2019), a unique set of 100 hidden test questions was designed as an attention check, where one of the options were other text snippets from unrelated topics. These test questions were presented in the same way as the other questions. The work of annotators who failed 20% of the test questions was ignored. (2) **Annotator reliability testing:** 4% (250) of the annotations were selected for judgement by experts. For each annotator, the *average agreement* score with other annotators was calculated on the data they annotated, and then the average agreement of all annotators were ranked. If an annotator’s average agreement differed too much (lower than 0.125) from the average agreement scores of other annotators, they were not considered for follow-up annotation**.

ChatGPT as Third Annotator in Task 2: Previous work has demonstrated that ChatGPT can already achieve performance comparable to that of crowdsourcing annotators (Gilardi et al., 2023). Based on this, we first verified the reliability of ChatGPT annotations by annotating all of the test instances mentioned in **Annotator reliability testing**. ChatGPT’s results were compared with golden labels as well as instances where human annotators

**We release raw annotation data, to facilitate subsequent research to estimate gold standards from the noisy crowdsourced labels (Plank, 2022)

Approach	HE	TR	HM	FL	SG	IF	FT	RE
GPT4	4.6388	4.8888	4.9722	4.6944	4.8611	4.5278	4.9444	4.9722
GPT3.5	4.5104	4.5555	4.8750	4.5729	4.4861	4.4409	4.6319	4.5798
GPT3	4.3715	4.4027	4.8472	4.4652	4.3333	4.3125	4.5138	4.4201
Bard	4.3402	4.4513	4.8333	4.4618	4.2083	4.2048	4.5312	4.3923
Alpaca _{13B}	4.3958	4.5381	4.8750	4.4826	4.5555	4.3819	4.5937	4.5277
Vicuna _{13B}	4.3899	4.4174	4.8348	4.4633	4.3211	4.2981	4.5045	4.4403

Table 1: Performance of different approaches on each dimension in human evaluation. Each score is averaged over five annotators on the dimension. Reported are, from left to right, HELPFUL, TRUTHFUL, HARMLESS, FLUENT, SIGNIFICANT, INFORMATIVE, FAITHFUL and REDUNDANT.

reach agreement separately. This ranked ChatGPT third out of 124 human annotators who participated in annotating for Task 2 and reaching a 97% agreement with human annotators in the latter. Thus, ChatGPT was employed as a “third annotator” for all instances that were annotated by an even number of human evaluators with no preference for the results. If ChatGPT’s answer yielded no preference (i.e. “Both evidence 1 and evidence 2 support the claim...”), we considered both pieces of evidence to be equally persuasive and assigned the label “0.5”.

Reliability of Human Annotation: Overall, a total of 1636 human annotators participated in our annotation project. Considering that the evidence was collected after filtering by human experts, the difficulty of Task 1 was low. We hired six experts for this annotation task who participated in an onboarding training with 250 data samples. Finally, four annotators participated in the whole annotation process. We measured Cohen’s Kappa (McHugh, 2012) to assess inter-annotator agreement, reporting an average of 0.6886 across the train/dev/test set, implying that the results are substantially reliable (Munoz and Bangdiwala, 1997). Agreement on Task 2 was significantly lower, presumably because the task depended on the participants’ background and knowledge. Furthermore, a different set of annotators for each annotation resulted in difficulty to obtain meaningful values on Cohen’s Kappa. Therefore, we measure reliability by comparing the pairwise agreement between each two annotators who annotated at least one example together, reporting such an average agreement of 0.549. We further used ChatGPT with verified reliability as an additional annotator to resolve tie breaks, as mentioned in the previous section. For Task 3, we did a cross-validation for every two annotators that had 25% overlap between their work, resulting in Krippendorff’s α (Krippendorff, 2011) of 0.2474, which suggests that providing rankings is a largely subjective task. For Task 4, Cohen’s

Kappa was measured at 0.8970 for sufficiency and 0.4933 for factuality, respectively. These suggest that the task of identifying factual errors and evaluating argumentative logic within the generated text poses a considerable challenge. Conversely, determining the persuasiveness of debate scripts appears straightforward (see Appendix E for details of the annotation platform, costs and templates).

4 Baseline Approaches

Sentence-pair Classification: We formulate Tasks 1, 2 and 4 as sentence-pair classification tasks, where we employed Flan-T5 (Chung et al., 2022), BERT (Devlin et al., 2018) and RoBERTa (Liu et al., 2019) as baseline models. As an abstract representation of the task "Does the evidence support the claim", the input is a concatenation of argument and evidence candidate, and the output is binary, i.e., $\{1, 0\}$, where the snippet is considered as evidence for the claim when they are judged to be the same pair. Task 4 (sufficiency and factual error checking, where $\{1, 0\}$ represent sufficient/factually wrong or not, respectively) follows the same setup. For Task 2, we define it as a multi-class classification task, i.e., given an evidence pair and a claim, "the former is more convincing" is labelled as 1, "the latter is more convincing" is labelled as 0, and "both are equal" is labelled as 0.5.

LLMs with Contrastive Learning: We formulate Tasks 2 and 3 as a contrastive learning task. Conceptually, we consider the evidence closest to the claim in the semantic embedding space as the most supportive candidate for it. For this purpose, we utilise Siamese Neural Networks (including SimCSE-RoBERTa (Gao et al., 2021), Sentence-t5 (Ni et al., 2021)) with contrasting loss functions. The inputs are the concatenation of the topic and claim, and the evidence candidate, respectively. The output is the score reflecting how close they are to each other (more details in Appendix F).

Summarisation with LLMs: Inspired by previous work in argument summarisation (Li et al., 2023a), we employed Flan-T5 (Chung et al., 2022) and PEGASUS (Zhang et al., 2020) as summarisation systems. The former is a large model trained on more than a thousand instruction tasks, while the latter has pre-trained objectives tailored specifically for abstract summarisation. The input of the model is in the form of a concatenated pair $\langle \textit{stance}, \textit{topic}, \textit{claim 1}, \textit{evidence 1}, \textit{evidence 2}, \dots, \textit{claim 2},$

.... \rangle . The output will be a single summary.

Project Debater: The first end-to-end automatic debating system, Project Debater (Slonim et al., 2021) encompasses multiple components such as claim detection, evidence detection, argument quality assessment and narrative generation. Employing it on our dataset, we can explore the limitations of a component-based SotA system.

5 Experimental Settings

Broadly speaking, we aim to investigate how well the generated data aligns with human standard and the performance of current representative LLMs in end-to-end debate preparation; we also provide a benchmark for future research. Specifically, we ask: (i) How well do representative LLMs perform on tasks? (ii) How well does LLM-generated data correlate with human judgement? (iii) How big is the impact of end-to-end pipeline inputs on model performance? (iv) How good is the baseline performance on each of the subtasks? To answer questions (i) and (ii), we conduct both manual evaluation and automated evaluation by first evaluating LLM outputs by means of human evaluation and then assessing correlations with human judgement and learned metrics. For questions (iii) and (iv), we compare the performance of our proposed baseline approach with both golden input and pipeline input.

To measure the performance on the imbalanced data distribution setting, we measure the Matthews correlation coefficient (MCC) (Guilford, 1954) as well as Macro-F1. The former progressively penalises over-confidence on the majority class, while the latter allocates the same weight to each class regardless of its cardinality in the dataset. For the summarisation task, we employ the widely used ROUGE metric (Lin, 2004), which measures performance by counting n -gram overlap. In addition, BLEURT (Sellam et al., 2020) is used to measure the performance from a semantic similarity perspective. For the ranking task, we consider precision@ k , Mean Average Precision@ k (MAP@ k) (Davis and Goadrich, 2006) and Normalized Discounted Cumulative Gain@ k (NDCG@ k) (Borges et al., 2005). MAP@ k is concerned with precision at every rank up to k , which takes into account both the number of relevant documents retrieved and their order in the rank list, penalising systems that return relevant documents further down the list. Meanwhile,

Systems	R-1/R-2/R-L			BLEURT
	Best-Evi	Top2-Evi	All-Evi	Best/Top2/All
Golden				
GPT3.5	46.58/18.12/22.98	55.41/25.65/25.10	50.00/14.57/25.81	45.91/44.61/39.27
GPT3	41.21/12.8/19.39	51.58/20.04/25.3	48.22/13.09/20.15	42.87/48.19/46.73
Bard	32.21/9.3/17.26	44.14/15.57/21.30	42.74/11.2/22.65	43.07/43.52/51.70
Alpaca _{13B}	14.28/2.4/10.31	18.51/2.97/11.48	30.73/4.27/16.54	36.19/42.95/49.40
Vicuna _{13B}	51.08/19.56/28.13	41.86/20.65/27.33	41.61/13.58/17.37	34.87/37.49/31.54
Baseline				
GPT3.5	57.31/28.83/37.19	55.13/26.08/32.43	55.12/29.41/34.14	51.67/48.66/52.01
GPT3	53.46/21.26/29.04	46.98/19.8/26.66	54.99/17.15/26.25	47.14/48.50/44.38
Bard	41.53/17.16/23.38	40.99/17.13/21.42	42.45/12.28/19.65	50.08/43.05/45.67
Alpaca _{13B}	41.25/10.69/21.25	30.00/4.3/15.71	26.38/7.9/18.05	48.97/44.33/48.83
Vicuna _{13B}	56.86/31.88/38.82	50.68/25.77/29.10	44.02/19.06/22.56	46.11/43.39/44.80

Table 2: Performance of the proposed method compared with GPT4 generation as reference, measured by {1,2}-gram overlap (Rouge- $\{1,2\}$) and longest sequence overlap (Rouge-L). Best, Top2 and All represent different evidence settings.

NDCG gives more weight to the correctness of items at higher positions in the ranked list. Both metrics are widely used to evaluate ranking systems. Further details on parameter settings of baselines can be found in Appendix G.

6 Benchmarks Results and Analysis

LLMs Generation Aligns with Human Standard, but Weaknesses in Logic and Informativeness persist: Table 1 shows that human evaluations suggest that generated summaries are of high quality. Overall, GPT4 showed the best performance, while Alpaca had the worst performance which is consistent with the results of the BT model based on ranked quantification (shown in Appendix C). Specifically, all models perform well in the TRUTHFUL, HARMLESS, FAITHFUL and REDUNDANT categories, suggesting that LLM outputs are comparable to humans along those dimensions. However, they still lack in dimensions that require logical understanding (HELPFUL and INFORMATIVE).

Similarity to GPT-generated Summaries Correlates with Argumentative Quality Assessments: The relative quality of the models is further represented in Table 2 and 3. Using human-evaluated performance of GPT-4 as a reference, ChatGPT performs the best, while Alpaca’s performance drops the most. We further explore the correlation between the human evaluation with Rouge scores (Spearman’s $r = 0.75, p < .005$) and BLEURT (Spearman’s $r = 0.64, p < .005$), suggesting that measuring the similarity of out-

puts to GPT4-generated summaries is a feasible proxy-metric representing the evaluation of argument quality. Intuitively, this is possible as GPT4 was assigned nearly full marks in all dimensions during human evaluation. Therefore, we treat its output as the gold standard for grammatical dimensions (e.g., FLUENT and INFORMATIVENESS (Zhao et al., 2023)) in the following experiment that investigates the performance of baseline approaches. Nevertheless, quality assessment still relies on human annotators.

Systems	Rouge	BLEURT
	Golden/Baseline	Golden/Baseline
GPT3.5	24.63 \pm 2.99/34.59 \pm 4.89	43.26 \pm 7.14/50.78 \pm 3.74
GPT3	21.61 \pm 6.51/21.61 \pm 6.51	45.93 \pm 5.58/46.67 \pm 4.26
Bard	20.40 \pm 5.69/21.48 \pm 3.78	46.09 \pm 9.85/46.26 \pm 7.21
Alpaca _{13B}	12.77 \pm 6.72/18.34 \pm 5.64	42.85 \pm 13.40/47.37 \pm 5.35
Vicuna _{13B}	24.27 \pm 12.16/30.16 \pm 16.60	34.63 \pm 6.05/44.77 \pm 2.76

Table 3: Performance of the proposed method compared with human-evaluated generation of GPT-4 as a reference, measured by Rouge-L sequence overlap and BLEURT at CI 95%

End-to-end Performance Exhibits Significant Drops, Demonstrating the Challenges of the Task: We select the most powerful model in each of subtask to build the end-to-end pipeline, where the input of each subsequent task is the output of the preceding task. As can be seen from Table 6, the performance of the pipeline has a significant drop compared to the same model with golden inputs, dropping 0.11 points Prec@1 on Task 2 and 16 points ROUGE on Task 3, respectively. This shows that achieving an integrated debating system

Systems	Rouge	BLEURT
Golden		
FlanT5 _{3B}	39.62 ± 9.94	43.26 ± 7.14
FlanT5 _{Large}	37.18 ± 7.92	45.93 ± 5.58
PEGASUS	24.12 ± 9.87	46.09 ± 9.85
Pipeline		
FlanT5 _{3B}	24.54 ± 2.73	34.63 ± 6.05

Table 4: Performance of the proposed method on Task 3 subtask A, measured by Rouge-longest sequence overlap with GPT4’s output (both golden and baseline settings) as reference and confidence interval at 95%

that is fully aligned with human preferences is challenging. It should be noted that Project Debater also shows a significant performance drop, indicating that there is still room for further improvement of end-to-end systems, underlining the importance of our collected resources.

Task 1: Evidence Detection Overall, FlanT5-11B achieved the best performance, as shown in Table 5. Specifically, FlanT5-11B and FlanT5-3B perform significantly better than smaller models. This suggests that larger models perform better when faced with label imbalance. FlanT5 also outperforms the encoder-only models of the same size, suggesting that either instruction-finetuning or the encoder-decoder architecture improve performance. Regarding specific classes, all models performed better in predicting evidence, likely because it is the majority label. In contrast to performance reported so far, RoBERTa-Large performed best (with Accuracy of 0.52) when predicting non-evidence, and correspondingly it performed worst with an Accuracy of 0.79 when predicting evidence, indicating that it achieved a relatively balanced overall performance. Finally, compared to inference (zero-shot), the models trained on the proposed dataset always perform better, suggesting that the dataset can effectively improve the performance of the models in this task. FlanT5-3B shows comparable overall performance with Project Debater; bigger LLMs could potentially lead to improved performance.

Task 2: Evidence Convincingness Ranking

As mentioned in the baseline setting description, Task 2 has been formulated as both a classification and ranking task. Comparing the performance of classification vs contrastive learning, the former outperforms the latter (Table 6). This indicates that the label “0.5” (the same persuasive power

Systems	Acc	MCC	Macro-F1	Acc-Evi	Acc-NonEvi
FlanT5 _{11B}	0.8430	0.4030	0.6827	0.9592	0.3478
FlanT5 _{3B}	0.8306	0.3906	0.6899	0.9286	0.4130
FlanT5 _{Large}	0.8099	0.3409	0.6687	0.9031	0.4130
RoBERTa _{Large}	0.7520	0.2709	0.6282	0.7857	0.5217
Bert _{Large}	0.7606	0.1839	0.5873	0.8979	0.2608
Zero-shot					
ProjectDebater	0.5219	0.0433	0.5215	0.5407	0.5025
FlanT5 _{3B}	0.5102	0.1489	0.6123	0.4653	0.7317

Table 5: Matthews correlation coefficient of the proposed method on Task 1 Evidence Detection.

Methods	Prec@1	Prec@2	MAP@2	NDCG@2
ProjectDebater	0.5022	0.606	0.5044	0.5740
Classification(CF)	0.3939	0.5	0.4394	0.5220
Contrastive Learning(CL)	0.2727	0.3939	0.3560	0.4194
Pipeline				
ProjectDebater	0.4244	0.5156	0.4544	0.5156
FlanT5 _{CLS}	0.1818	0.3939	0.3257	0.3939

Table 6: Performance of the proposed method on Task 2. Pipeline represents the input from last components. Key: Prec@k = precision at top-k, MAP = Mean Average Precision, NDCG = Normalized Discounted Cumulative Gain

for both) bears important semantics, which is lost in contrastive learning, resulting in lower scores. In detail, it is noticeable that model size does not seem to play a significant role for the contrastive learning approach (c.f. SentenceT5-Large and -3B in Table 7) which might be because the nuanced differences in evidences are hard to pick up by means of semantic similarity. For classification methods, performance scales with size, which is consistent with Task 1 results.

Systems	Acc	Macro-F1	Acc-Con	Acc-NonCon
Classification				
FlanT5 _{3B}	0.5232	0.3367	0.2907	0.8071
FlanT5 _{Large}	0.4118	0.2890	0.2056	0.5814
Contrastive Learning				
SentenceT5 _{3B}	0.5528	0.5565	0.5254	0.5843
SentenceT5 _{Large}	0.5461	0.5621	0.5457	0.5465
SimCSE-RoBERTa _{Large}	0.5569	0.5465	0.5000	0.6221

Table 7: Detailed performance of the proposed method on Task 2 Evidence Convincingness Ranking

Task 3 Subtask A: Argumentation Summary

Here, FlanT5-3B outperformed all other models in all settings, with the remaining models exhibiting comparable performance levels (c.f., Average ROUGE scores of *All* vs *Top-2* in Table 8). This suggests that this particular setting presents the most challenges, potentially due to constraints in input length and the model’s struggle to select relevant evidence. It is worth noting that there is a huge gap between the performance of the model with end-to-end inputs and the model with golden

Systems	R-1/R-2/R-L			BLEURT
	Best-Evi	Top2-Evi	All-Evi	Best/Top2/All
Golden				
FlanT5 _{3B}	59.20/32.34/45.08	53.10/26.16/35.59	55.55/28.03/38.21	53.21/53.52/49.96
FlanT5 _{Large}	55.93/29.97/41.69	51.66/25.55/35.12	51.97/25.90/34.75	31.20/49.27/45.24
PEGASUS	39.06/21.38/27.25	38.75/19.62/26.60	26.00/9.74/18.52	28.14/29.50/34.84
Pipeline				
FlanT5 _{3B}	42.18/13.81/23.56	44.95/17.18/23.99	47.77/19.29/26.08	44.32/45.96/43.10

Table 8: Performance of the proposed method on Task 3 subtask A, measured by {1,2}-gram overlap Rouge- $\{1,2\}$, longest sequence overlap Rouge-L with GPT4’s output (both golden and baseline settings) as reference. Best, Top2, All represent different evidence settings.

inputs, which demonstrates the challenges of the task (Shown in Table 4).

Task 3 Subtask B: Argumentation Summary and Ranking Table 9 shows the performance on the proposed baseline models, suggesting that the size of the model does not significantly contribute to succeeding on this task. However, SentenceT5 performs better than SimCSE-RoBERTa-Large, suggesting that embedding two sentences simultaneously has better performance in measuring similarity than embedding sentences separately, presumably due to the fact that the former is better at measuring the relationship between the original and interfering inputs by representing them in the same space than what the latter does, i.e., by representing them separately (Neculoiu et al., 2016).

Systems	Prec@1	Prec@2	MAP@2	NDCG@2
SentenceT5 _{3B}	0.25	0.5	0.375	0.4811
SentenceT5 _{Large}	0.25	0.5278	0.4097	0.5089
SimCSE-RoBERTa _{Large}	0.25	0.4722	0.3819	0.4722

Table 9: Performance of the proposed method on Task 3 Subtask B: Argumentation Summary and Ranking (ASR), Prec@k represents precision at top-k, MAP represent Mean Average Precision, NDCG represent Normalized Discounted Cumulative Gain.

Task 4: Summary Quality Checking Considering that data sets are imbalanced for both tasks, the smaller models default to predicting the majority class resulting in an MCC score of 0. FlanT5-3B is the only model that performs marginally better albeit with only weak correlation to human judgments. This suggests that the large model exhibits enough robustness to address the challenges posed by imbalanced data and the weak human feedback signal. Specifically, the task of fact-checking appears to be particularly challenging, as all the large-sized models exhibit an MCC of 0. This could be

attributed to the scarcity of data labeled as “1”, i.e. factually wrong.

Systems	Acc	MCC	Macro-F1	Acc-True	Acc-False
Sufficiency					
FlanT5 _{3B}	0.8819	0.2890	0.6136	0.9802	0.1944
FlanT5 _{Large}	0.8472	0.1446	0.5648	0.9444	0.1667
RoBERTa _{Large}	0.8101	0.0000	0.4475	1.0	0.0
Bert _{Large}	0.8101	0.0000	0.4475	1.0	0.0
Faithfulness					
FlanT5 _{3B}	0.9236	0.3328	0.5871	0.1200	1.0000
FlanT5 _{Large}	0.9027	0.0000	0.4744	0.0000	1.0000
RoBERTa _{Large}	0.9027	0.0000	0.4744	0.0000	1.0000
Bert _{Large}	0.9027	0.0000	0.4744	0.0000	1.0000

Table 10: Performance of the proposed method on Task 4. Sufficiency represents the sufficiency checking, while faithfulness represents the fact-checking task.

7 Conclusion

In this study, we built an end-to-end argumentative summary and evaluation dataset and established the benchmarks for each task. This process involves annotating the data by human experts mixed with LLMs and applying popular deep learning baseline methods to the new datasets. We open-source our data and benchmark code, enabling researchers to reproduce and enhance the results. In future, we hope to further expand the evaluation dataset to explore the potential of unprocessed real-world data as evidence and fact-checking for its quality.

Limitations

Recruiting human subjects for annotation limits the reproducibility of human evaluation. In addition, we recognise that there might be more suitable baseline models, and in this study, just a few of the most advanced models were used. Also, we may employ human experts to complete summaries that are not generated as expected for different reasons to fill in the gaps. Finally, despite being filtered by

human experts, offensive debate content may still be present in the data. It is worth noting, however, that the identification of offensive language is not the aim of this work.

Ethics Statement

During the annotation process, we considered the following dimensions to protect our annotators. (1) Consent: To ensure that our participants, i.e., AMT workers, consent to the annotation task, they will be required to review the task guidelines and instructions before starting their work. They can exit the task at any time if they feel uncomfortable. (2) Confidentiality: None of the task participants is known to us, i.e., the entire annotation process is anonymised: no information about the AMT workers is accessible to us, and none of the data being annotated is confidential as the data samples all come from publicly available sources. (3) Safeguarding: We selected debate topics (for annotation) that are used in high school-level debates and argumentative essays. They are unlikely to cause any harmful effects, as they have already been subject to previous scrutiny (Released by KPA dataset (Bar-Haim et al., 2020a)).

Acknowledgements

We thank the anonymous reviewers from the ARR December 2023 cycle for their valuable feedback. We would especially like to thank Roy Bar-Haim and Yoav Katz at the IBM Research for helpful discussions, feedback on our work and help with using Project Debater. We would also like to acknowledge the use of the Computational Shared Facility at The University of Manchester. We would like to conclude by thanking all of our hard-working annotators. This work was partially funded by the European Union’s Horizon 2020 research and innovation action programme, via the AI4Media Open Call #1 issued and executed under the AI4Media project (Grant Agreement no. 951911).

References

Ehud Aharoni, Anatoly Polnarov, Tamar Lavee, Daniel Hershcovich, Ran Levy, Ruty Rinott, Dan Gutfreund, and Noam Slonim. 2014. A benchmark dataset for automatic detection of claims and evidence in the context of controversial topics. In *ArgMining@ACL*, pages 64–68. The Association for Computer Linguistics.

Yamen Ajjour, Milad Alshomary, Henning Wachsmuth, and Benno Stein. 2019. Modeling frames in argumentation. In *EMNLP/IJCNLP (1)*, pages 2922–2932. Association for Computational Linguistics.

Milad Alshomary, Timon Gurcke, Shahbaz Syed, Philipp Heinrich, Maximilian Spliethöver, Philipp Cimiano, Martin Potthast, and Henning Wachsmuth. 2021. Key point analysis via contrastive learning and extractive argument summarization. *arXiv preprint arXiv:2109.15086*.

Rohan Anil, Andrew M. Dai, Orhan Firat, Melvin Johnson, Dmitry Lepikhin, Alexandre Passos, Siamak Shakeri, Emanuel Taropa, Paige Bailey, Zhifeng Chen, Eric Chu, Jonathan H. Clark, Laurent El Shafey, Yanping Huang, Kathy Meier-Hellstern, Gaurav Mishra, Erica Moreira, Mark Omernick, Kevin Robinson, Sebastian Ruder, Yi Tay, Kefan Xiao, Yuanzhong Xu, Yujing Zhang, Gustavo Hernández Ábrego, Junwhan Ahn, Jacob Austin, Paul Barham, Jan A. Botha, James Bradbury, Siddhartha Brahma, Kevin Brooks, Michele Catasta, Yong Cheng, Colin Cherry, Christopher A. Choquette-Choo, Aakanksha Chowdhery, Clément Crepy, Shachi Dave, Mostafa Dehghani, Sunipa Dev, Jacob Devlin, Mark Díaz, Nan Du, Ethan Dyer, Vladimir Feinberg, Fangxiaoyu Feng, Vlad Fienber, Markus Freitag, Xavier Garcia, Sebastian Gehrmann, Lucas Gonzalez, and et al. 2023. Palm 2 technical report. *CoRR*, abs/2305.10403.

Mara S Aruguete, Ho Huynh, Blaine L Browne, Bethany Jurs, Emilia Flint, and Lynn E McCutcheon. 2019. How serious is the ‘carelessness’ problem on mechanical turk? *International Journal of Social Research Methodology*, 22(5):441–449.

Razvan Azamfirei, Sapna R Kudchadkar, and James Fackler. 2023. Large language models and the perils of their hallucinations. *Critical Care*, 27(1):1–2.

Roy Bar-Haim, Indrajit Bhattacharya, Francesco Dinuzzo, Amrita Saha, and Noam Slonim. 2017. Stance classification of context-dependent claims. In *EACL (1)*, pages 251–261. Association for Computational Linguistics.

Roy Bar-Haim, Lilach Eden, Roni Friedman, Yoav Kantor, Dan Lahav, and Noam Slonim. 2020a. From arguments to key points: Towards automatic argument summarization. In *ACL*, pages 4029–4039. Association for Computational Linguistics.

Roy Bar-Haim, Yoav Kantor, Lilach Eden, Roni Friedman, Dan Lahav, and Noam Slonim. 2020b. Quantitative argument summarization and beyond: Cross-domain key point analysis. In *EMNLP (1)*, pages 39–49. Association for Computational Linguistics.

Tom B. Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, Sandhini Agarwal, Ariel Herbert-Voss, Gretchen Krueger, Tom Henighan, Rewon Child,

- Aditya Ramesh, Daniel M. Ziegler, Jeffrey Wu, Clemens Winter, Christopher Hesse, Mark Chen, Eric Sigler, Mateusz Litwin, Scott Gray, Benjamin Chess, Jack Clark, Christopher Berner, Sam McCandlish, Alec Radford, Ilya Sutskever, and Dario Amodei. 2020. Language models are few-shot learners. In *NeurIPS*.
- Chris Burges, Tal Shaked, Erin Renshaw, Ari Lazier, Matt Deeds, Nicole Hamilton, and Greg Hullender. 2005. Learning to rank using gradient descent. In *Proceedings of the 22nd international conference on Machine learning*, pages 89–96.
- Liyang Cheng, Lidong Bing, Ruidan He, Qian Yu, Yan Zhang, and Luo Si. 2022. IAM: A comprehensive and large-scale dataset for integrated argument mining tasks. In *ACL (1)*, pages 2277–2287. Association for Computational Linguistics.
- Liyang Cheng, Tianyu Wu, Lidong Bing, and Luo Si. 2021. Argument pair extraction via attention-guided multi-layer multi-cross encoding. In *ACL/IJCNLP (1)*, pages 6341–6353. Association for Computational Linguistics.
- Hyung Won Chung, Le Hou, Shayne Longpre, Barret Zoph, Yi Tay, William Fedus, Eric Li, Xuezhi Wang, Mostafa Dehghani, Siddhartha Brahma, Albert Webson, Shixiang Shane Gu, Zhuyun Dai, Mirac Suzgun, Xinyun Chen, Aakanksha Chowdhery, Sharan Narang, Gaurav Mishra, Adams Yu, Vincent Y. Zhao, Yanping Huang, Andrew M. Dai, Hongkun Yu, Slav Petrov, Ed H. Chi, Jeff Dean, Jacob Devlin, Adam Roberts, Denny Zhou, Quoc V. Le, and Jason Wei. 2022. Scaling instruction-finetuned language models. *CoRR*, abs/2210.11416.
- Lukasz Cyra and Janusz Górski. 2011. Support for argument structures review and assessment. *Reliab. Eng. Syst. Saf.*, 96(1):26–37.
- Jesse Davis and Mark Goadrich. 2006. The relationship between precision-recall and roc curves. In *Proceedings of the 23rd international conference on Machine learning*, pages 233–240.
- Johannes Daxenberger, Steffen Eger, Ivan Habernal, Christian Stab, and Iryna Gurevych. 2017. What is the essence of a claim? cross-domain claim identification. In *EMNLP*, pages 2055–2066. Association for Computational Linguistics.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2018. Bert: Pre-training of deep bidirectional transformers for language understanding. *arXiv preprint arXiv:1810.04805*.
- Liat Ein-Dor, Eyal Shnarch, Lena Dankin, Alon Halfon, Benjamin Sznajder, Ariel Gera, Carlos Alzate, Martin Gleize, Leshem Choshen, Yufang Hou, Yonatan Bilu, Ranit Aharonov, and Noam Slonim. 2020. Corpus wide argument mining - A working solution. In *AAAI*, pages 7683–7691. AAAI Press.
- Susan E Embretson and Steven P Reise. 2013. *Item response theory*. Psychology Press.
- Kathryn Field. 2017. Debating our way toward stronger thinking. *Gifted Child Today*, 40(3):144–153.
- Roni Friedman, Lena Dankin, Yufang Hou, Ranit Aharonov, Yoav Katz, and Noam Slonim. 2021. Overview of the 2021 key point analysis shared task. In *ArgMining@EMNLP*, pages 154–164. Association for Computational Linguistics.
- Tianyu Gao, Xingcheng Yao, and Danqi Chen. 2021. Simcse: Simple contrastive learning of sentence embeddings. *arXiv preprint arXiv:2104.08821*.
- Fabrizio Gilardi, Meysam Alizadeh, and Maël Kubli. 2023. Chatgpt outperforms crowd-workers for text-annotation tasks. *CoRR*, abs/2303.15056.
- Martin Gleize, Eyal Shnarch, Leshem Choshen, Lena Dankin, Guy Moshkovich, Ranit Aharonov, and Noam Slonim. 2019. Are you convinced? choosing the more convincing evidence with a siamese network. In *ACL (1)*, pages 967–976. Association for Computational Linguistics.
- Shai Gretz, Roni Friedman, Edo Cohen-Karlik, Assaf Toledo, Dan Lahav, Ranit Aharonov, and Noam Slonim. 2020. A large-scale dataset for argument quality ranking: Construction and analysis. In *AAAI*, pages 7805–7813. AAAI Press.
- Joy Paul Guilford. 1954. Psychometric methods.
- Yuan Guo, Peng Tian, Jayashree Kalpathy-Cramer, Susan Ostmo, J Peter Campbell, Michael F Chiang, Deniz Erdogmus, Jennifer G Dy, and Stratis Ioannidis. 2018. Experimental design under the bradley-terry model. In *IJCAI*, pages 2198–2204.
- Timon Gurcke, Milad Alshomary, and Henning Wachsmuth. 2021. Assessing the sufficiency of arguments through conclusion generation. In *ArgMining@EMNLP*, pages 67–77. Association for Computational Linguistics.
- Ivan Habernal and Iryna Gurevych. 2015. Exploiting debate portals for semi-supervised argumentation mining in user-generated web discourse. In *EMNLP*, pages 2127–2137. The Association for Computational Linguistics.
- Ivan Habernal and Iryna Gurevych. 2016a. Which argument is more convincing? analyzing and predicting convincingness of web arguments using bidirectional LSTM. In *ACL (1)*. The Association for Computer Linguistics.
- Ivan Habernal and Iryna Gurevych. 2016b. Which argument is more convincing? analyzing and predicting convincingness of web arguments using bidirectional lstm. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1589–1599.

- Neslihan Iskender, Robin Schaefer, Tim Polzehl, and Sebastian Möller. 2021. Argument mining in tweets: Comparing crowd and expert annotations for automated claim and evidence detection. In *NLDB*, volume 12801 of *Lecture Notes in Computer Science*, pages 275–288. Springer.
- Charles Jochim, Francesca Bonin, Roy Bar-Haim, and Noam Slonim. 2018. SLIDE - a sentiment lexicon of common idioms. In *LREC*. European Language Resources Association (ELRA).
- Jon Kleinberg et al. 2007. Cascading behavior in networks: Algorithmic and economic issues. *Algorithmic game theory*, 24:613–632.
- Klaus Krippendorff. 2011. Computing krippendorff’s alpha-reliability.
- Tamar Lavee, Matan Orbach, Lili Kotlerman, Yoav Kantor, Shai Gretz, Lena Dankin, Michal Jacovi, Yonatan Bilu, Ranit Aharonov, and Noam Slonim. 2019. Towards effective rebuttal: Listening comprehension using corpus-wide claim mining. In *ArgMining@ACL*, pages 58–66. Association for Computational Linguistics.
- John Lawrence and Chris Reed. 2017. Mining argumentative structure from natural language text using automatically generated premise-conclusion topic models. In *ArgMining@EMNLP*, pages 39–48. Association for Computational Linguistics.
- Ran Levy, Ben Bogin, Shai Gretz, Ranit Aharonov, and Noam Slonim. 2018. Towards an argumentative content search engine using weak supervision. In *COLING*, pages 2066–2081. Association for Computational Linguistics.
- Hao Li, Viktor Schlegel, Riza Batista-Navarro, and Goran Nenadic. 2023a. Do you hear the people sing? key point analysis via iterative clustering and abstractive summarisation. In *ACL (1)*, pages 14064–14080. Association for Computational Linguistics.
- Hao Li, Yu-Ping Wu, Viktor Schlegel, Riza Batista-Navarro, Thanh-Tung Nguyen, Abhinav Ramesh Kashyap, Xiao-Jun Zeng, Daniel Beck, Stefan Winkler, and Goran Nenadic. 2023b. Team: PULSAR at probsum 2023: PULSAR: pre-training with extracted healthcare terms for summarising patients’ problems and data augmentation with black-box large language models. In *BioNLP@ACL*, pages 503–509. Association for Computational Linguistics.
- Jialu Li, Esin Durmus, and Claire Cardie. 2020. Exploring the role of argument structure in online debate persuasion. In *EMNLP (1)*, pages 8905–8912. Association for Computational Linguistics.
- Chin-Yew Lin. 2004. Rouge: A package for automatic evaluation of summaries. In *Text summarization branches out*, pages 74–81.
- Peter Lipton. 1993. Is the best good enough? In *Proceedings of the Aristotelian Society*, volume 93, pages 89–104. JSTOR.
- Boyang Liu, Viktor Schlegel, Riza Theresa Batista-Navarro, and Sophia Ananiadou. 2023a. Argument mining as a multi-hop generative machine reading comprehension task. In *Findings of the Association for Computational Linguistics: EMNLP 2023*, pages 10846–10858.
- Boyang Liu, Viktor Schlegel, Paul Thompson, Riza Theresa Batista-Navarro, and Sophia Ananiadou. 2023b. Global information-aware argument mining based on a top-down multi-turn qa model. *Information Processing & Management*, 60(5):103445.
- Yikang Liu, Ziyin Zhang, Wanyang Zhang, Shisen Yue, Xiaojing Zhao, Xinyuan Cheng, Yiwen Zhang, and Hai Hu. 2023c. Argugpt: evaluating, understanding and identifying argumentative essays generated by GPT models. *CoRR*, abs/2304.07666.
- Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*.
- Mary L McHugh. 2012. Interrater reliability: the kappa statistic. *Biochemia medica*, 22(3):276–282.
- Shachar Mirkin, Guy Moshkovich, Matan Orbach, Lili Kotlerman, Yoav Kantor, Tamar Lavee, Michal Jacovi, Yonatan Bilu, Ranit Aharonov, and Noam Slonim. 2018. Listening comprehension over argumentative content. In *EMNLP*, pages 719–724. Association for Computational Linguistics.
- Amita Misra, Brian Ecker, and Marilyn A. Walker. 2016. Measuring the similarity of sentential arguments in dialogue. In *SIGDIAL Conference*, pages 276–287. The Association for Computer Linguistics.
- Sergio R Munoz and Shrikant I Bangdiwala. 1997. Interpretation of kappa and b statistics measures of agreement. *Journal of Applied Statistics*, 24(1):105–112.
- Robin W. Na and Simon DeDeo. 2022. The diversity of argument-making in the wild: from assumptions and definitions to causation and anecdote in reddit’s "change my view". *CoRR*, abs/2205.07938.
- Paul Neculoiu, Maarten Versteegh, and Mihai Rotaru. 2016. Learning text similarity with siamese recurrent networks. In *Proceedings of the 1st Workshop on Representation Learning for NLP*, pages 148–157.
- Jianmo Ni, Gustavo Hernández Ábrego, Noah Constant, Ji Ma, Keith B Hall, Daniel Cer, and Yinfei Yang. 2021. Sentence-t5: Scalable sentence encoders from pre-trained text-to-text models. *arXiv preprint arXiv:2108.08877*.
- OpenAI. 2023. GPT-4 technical report. *CoRR*, abs/2303.08774.

- Matan Orbach, Yonatan Bilu, Ariel Gera, Yoav Kantor, Lena Dankin, Tamar Lavee, Lili Kotlerman, Shachar Mirkin, Michal Jacovi, Ranit Aharonov, and Noam Slonim. 2019. A dataset of general-purpose rebuttal. In *EMNLP/IJCNLP (1)*, pages 5590–5600. Association for Computational Linguistics.
- Matan Orbach, Yonatan Bilu, Assaf Toledo, Dan Lahav, Michal Jacovi, Ranit Aharonov, and Noam Slonim. 2020. Out of the echo chamber: Detecting countering debate speeches. In *ACL*, pages 7073–7086. Association for Computational Linguistics.
- Long Ouyang, Jeffrey Wu, Xu Jiang, Diogo Almeida, Carroll L. Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, John Schulman, Jacob Hilton, Fraser Kelton, Luke Miller, Maddie Simens, Amanda Askell, Peter Welinder, Paul F. Christiano, Jan Leike, and Ryan Lowe. 2022. Training language models to follow instructions with human feedback. In *NeurIPS*.
- Gabriele Paolacci, Jesse Chandler, and Panagiotis G Ipeirotis. 2010. Running experiments on amazon mechanical turk. *Judgment and Decision making*, 5(5):411–419.
- Barbara Plank. 2022. The "problem" of human label variation: On ground truth in data, modeling and evaluation. In *EMNLP*, pages 10671–10682. Association for Computational Linguistics.
- Peter Potash, Adam Ferguson, and Timothy J. Hazen. 2019. Ranking passages for argument convincingness. In *ArgMining@ACL*, pages 146–155. Association for Computational Linguistics.
- Pavani Rajula, Chia-Chien Hung, and Simone Paolo Ponzetto. 2022. Stacked model based argument extraction and stance detection using embedded LSTM model. In *CLEF (Working Notes)*, volume 3180 of *CEUR Workshop Proceedings*, pages 3064–3073. CEUR-WS.org.
- David Rear. 2017. Critical thinking, language and problem-solving: scaffolding thinking skills through debate. *Essential competencies for English-medium university teaching*, pages 51–63.
- Nils Reimers, Benjamin Schiller, Tilman Beck, Johannes Daxenberger, Christian Stab, and Iryna Gurevych. 2019. Classification and clustering of arguments with contextualized word embeddings. In *ACL (1)*, pages 567–578. Association for Computational Linguistics.
- Ruty Rinott, Lena Dankin, Carlos Alzate Perez, Mitesh M. Khapra, Ehud Aharoni, and Noam Slonim. 2015. Show me your evidence - an automatic method for context dependent evidence detection. In *EMNLP*, pages 440–450. The Association for Computational Linguistics.
- Allen Roush and Arvind Balaji. 2020. Debatesum: A large-scale argument mining and summarization dataset. *CoRR*, abs/2011.07251.
- Teven Le Scao, Angela Fan, Christopher Akiki, Elie Pavlick, Suzana Ilic, Daniel Hesslow, Roman Castagné, Alexandra Sasha Luccioni, François Yvon, Matthias Gallé, Jonathan Tow, Alexander M. Rush, Stella Biderman, Albert Webson, Pawan Sasanka Ammanamanchi, Thomas Wang, Benoît Sagot, Niklas Muennighoff, Albert Villanova del Moral, Olatunji Ruwase, Rachel Bawden, Stas Bekman, Angelina McMillan-Major, Iz Beltagy, Huu Nguyen, Lucile Saulnier, Samson Tan, Pedro Ortiz Suarez, Victor Sanh, Hugo Laurençon, Yacine Jernite, Julien Launay, Margaret Mitchell, Colin Raffel, Aaron Gokaslan, Adi Simhi, Aitor Soroa, Alham Fikri Aji, Amit Alfassy, Anna Rogers, Ariel Kreisberg Nitzav, Canwen Xu, Chenghao Mou, Chris Emezue, Christopher Klamm, Colin Leong, Daniel van Strien, David Ifeoluwa Adelani, and et al. 2022. BLOOM: A 176b-parameter open-access multilingual language model. *CoRR*, abs/2211.05100.
- Peter Schwardmann, Egon Tripodi, and Joël J Van der Weele. 2022. Self-persuasion: Evidence from field experiments at international debating competitions. *American Economic Review*, 112(4):1118–1146.
- Thibault Sellam, Dipanjan Das, and Ankur P. Parikh. 2020. BLEURT: learning robust metrics for text generation. In *ACL*, pages 7881–7892. Association for Computational Linguistics.
- Eyal Shnarch, Carlos Alzate, Lena Dankin, Martin Gleize, Yufang Hou, Leshem Choshen, Ranit Aharonov, and Noam Slonim. 2018. Will it blend? blending weak and strong labeled data in a neural network for argumentation mining. In *ACL (2)*, pages 599–605. Association for Computational Linguistics.
- Eyal Shnarch, Leshem Choshen, Guy Moshkovich, Ranit Aharonov, and Noam Slonim. 2020. Unsupervised expressive rules provide explainability and assist human experts grasping new domains. In *EMNLP (Findings)*, volume EMNLP 2020 of *Findings of ACL*, pages 2678–2697. Association for Computational Linguistics.
- Noam Slonim, Yonatan Bilu, Carlos Alzate, Roy Bar-Haim, Ben Bogin, Francesca Bonin, Leshem Choshen, Edo Cohen-Karlik, Lena Dankin, Lilach Edelstein, et al. 2021. An autonomous debating system. *Nature*, 591(7850):379–384.
- Christian Stab. 2017. *Argumentative Writing Support by means of Natural Language Processing*. Ph.D. thesis, Darmstadt University of Technology, Germany.
- Christian Stab and Iryna Gurevych. 2017. Parsing argumentation structures in persuasive essays. *Comput. Linguistics*, 43(3):619–659.
- Shahbaz Syed, Timon Ziegenbein, Philipp Heinisch, Henning Wachsmuth, and Martin Potthast. 2023. **Frame-oriented summarization of argumentative discussions**. In *Proceedings of the 24th Annual Meeting of the Special Interest Group on Discourse and Dialogue*, pages 114–129, Prague, Czechia. Association for Computational Linguistics.

- Assaf Toledo, Shai Gretz, Edo Cohen-Karlik, Roni Friedman, Elad Venezian, Dan Lahav, Michal Jacovi, Ranit Aharonov, and Noam Slonim. 2019. Automatic argument quality assessment - new datasets and methods. In *EMNLP/IJCNLP (1)*, pages 5624–5634. Association for Computational Linguistics.
- Orith Toledo-Ronen, Roy Bar-Haim, Alon Halfon, Charles Jochim, Amir Menczel, Ranit Aharonov, and Noam Slonim. 2018. Learning sentiment composition from sentiment lexicons. In *COLING*, pages 2230–2241. Association for Computational Linguistics.
- Orith Toledo-Ronen, Matan Orbach, Yonatan Bilu, Artem Spector, and Noam Slonim. 2020. Multilingual argument mining: Datasets and analysis. In *EMNLP (Findings)*, volume EMNLP 2020 of *Findings of ACL*, pages 303–317. Association for Computational Linguistics.
- Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, Aurélien Rodriguez, Armand Joulin, Edouard Grave, and Guillaume Lample. 2023. Llama: Open and efficient foundation language models. *CoRR*, abs/2302.13971.
- Dietrich Trautmann, Johannes Daxenberger, Christian Stab, Hinrich Schütze, and Iryna Gurevych. 2020. Fine-grained argument unit recognition and classification. In *AAAI*, pages 9048–9056. AAAI Press.
- Henning Wachsmuth and Till Werner. 2020a. Intrinsic quality assessment of arguments. *arXiv preprint arXiv:2010.12473*.
- Henning Wachsmuth and Till Werner. 2020b. **Intrinsic quality assessment of arguments**. In *Proceedings of the 28th International Conference on Computational Linguistics*, pages 6739–6745, Barcelona, Spain (Online). International Committee on Computational Linguistics.
- Thiemo Wambsganss, Christina Niklaus, Matthias Cetto, Matthias Söllner, Siegfried Handschuh, and Jan Marco Leimeister. 2020. AL: an adaptive learning support system for argumentation skills. In *CHI*, pages 1–14. ACM.
- Hiroaki Yamada, Simone Teufel, and Takenobu Tokunaga. 2019. Building a corpus of legal argumentation in japanese judgement documents: towards structure-based summarisation. *Artif. Intell. Law*, 27(2):141–170.
- Aohan Zeng, Xiao Liu, Zhengxiao Du, Zihan Wang, Hanyu Lai, Ming Ding, Zhuoyi Yang, Yifan Xu, Wendi Zheng, Xiao Xia, Weng Lam Tam, Zixuan Ma, Yufei Xue, Jidong Zhai, Wenguang Chen, Peng Zhang, Yuxiao Dong, and Jie Tang. 2022. GLM-130B: an open bilingual pre-trained model. *CoRR*, abs/2210.02414.
- Jingqing Zhang, Yao Zhao, Mohammad Saleh, and Peter J. Liu. 2020. PEGASUS: pre-training with extracted gap-sentences for abstractive summarization. In *ICML*, volume 119 of *Proceedings of Machine Learning Research*, pages 11328–11339. PMLR.
- Wayne Xin Zhao, Kun Zhou, Junyi Li, Tianyi Tang, Xiaolei Wang, Yupeng Hou, Yingqian Min, Beichen Zhang, Junjie Zhang, Zican Dong, et al. 2023. A survey of large language models. *arXiv preprint arXiv:2303.18223*.

A Milp Ranker

The `milp_ranker` formulates the problem that ranking from pairwise comparisons as solving a mixed-integer linear program (MILP). We select it as our ranker because it can handle both the contradictory case between the pairwise comparisons and the equal case between two pieces of evidence. The use of `milp_ranker` is restricted and therefore an academic license was applied here. To align with annotated results in Task 1, evidence with the label 0 in Task 1 was removed from the ranking.

B Quality evaluation dimensions for summaries

- **HELPFUL**: The output should follow the user’s intention and help users prepare a script for debate that meets their demands
- **TRUTHFUL**: The output contains accurate information and doesn’t mislead the user.
- **HARMLESS**: The output should not cause physical, psychological, or social harm to people; or harm to institutions or resources necessary to human wellbeing.
- **SIGNIFICANT**: Each claim and supporting evidence(s) should stand out and capture a main point.
- **INFORMATIVENESS**: It should discuss some aspect of the debate topic and be general enough. Any claims or evidence(s) that are too specific or only express sentiment cannot be considered a good candidate.
- **FAITHFULNESS**: Claims and Evidence should actually express the meaning in the corpus. No conjecture or unfounded claims arise.
- **REDUNDANT**: Each claim expresses a distinct aspect. In other words, there should be no overlap between the claims.

- FLUENT: the generated text constitutes a fluent script that can be presented by humans.

C Bradley–Terry model (BT) and Item Response Theory (IRT)

Here, we formalise the BT model into the following:

$$L(\mathbf{p}) = \ln \prod_{ij} [P(i > j)]^{w_{ij}} = \sum_{ij} w_{ij} \ln \frac{p_i}{p_i + p_j} \quad (1)$$

$$p_i = \frac{\sum_j w_{ij} p_j / (p_i + p_j)}{\sum_j w_{ji} / (p_i + p_j)} \quad (2)$$

where p_i is a positive real-valued score assigned to individual i , w_{ij} be the number of times individual i beats individual j .

Based on the fact that each annotator’s preference may differ from others as well as the diversity of the models’ generation, we normalise the performance of the model into scores using the two-parameter logistic model following the Item Response Theory (IRT) (Embretson and Reise, 2013). Here, we formalise the task into the following:

$$P(X_{ij} | \theta_i; \alpha_j; \beta_j) = \frac{e^{D\alpha_j(\theta_i - \beta_j)}}{1 + e^{D\alpha_j(\theta_i - \beta_j)}} \quad (3)$$

where θ_i represent the ability of the i th models, α_j represent the discrimination of the j topic, β_j represent the difficulty of the j topic, X_{ij} represent the i th model’s response matrix on the topic j and D is a constant and takes the default value of 1.702, where the probability density of the function differs from the normal shoulder curve by less than 0.01.

D Dataset Distribution

Table 12 Demonstrate the distributions of the dataset. For Task 1 Evidence Detection, numbers in brackets represent the number of cases labelled as evidence.

E Human Annotators Recruited and Cost

E.1 Overview of Annotation Process

We release the annotation task and employ annotators from the Amazon Mechanical Turk crowdsourcing platform directly. The project spends £3160 in total, where each of the data cost \$0.2. Any annotator can start working after carefully reading the instructions and can choose to quit at any time.

Systems	Best-Evi	Top2-Evi	All-Evi	Average
Golden Setting				
GPT4	2.8905	2.8906	2.5164	2.7658
GPT3.5	1.5718	0.4122	0.9578	0.9806
GPT3	-0.7382	-2.0713	0.9578	-0.6172
BARD _{340B}	0.4123	1.5718	-0.3021	0.5607
Alpaca _{13B}	-2.0712	-2.0713	-1.4443	-1.8622
Vicuna _{13B}	-2.0712	-0.7382	-2.6917	-1.8337
Baseline Setting				
GPT4	3.1028	2.3864	2.8905	2.7932
GPT3.5	-0.5643	1.2032	0.4122	0.3504
GPT3	1.7379	-0.1	1.5717	1.0699
BARD _{340B}	0.5623	-0.1	0.7381	0.4001
Alpaca _{13B}	-3.1048	-2.3884	-2.0711	-2.5214
Vicuna _{13B}	-1.7399	-1.2052	-2.0711	-1.6721

Table 11: Performance of different systems on Task 3 summary generation reflect by IRT model, different evidence inputs selected by both human annotators’ results and proposed baseline model separately. A higher probability of the keying response represents the better performance of the model on that task and vice versa.

Task	ED	ECR	AS	ASR	SQE
Train	1494(1033)	4300	1728	1152	1728
Dev	266(227)	935	288	192	144
Test	242(196)	799	216	288	216

Table 12: The distribution of the dataset, ED represents Evidence Detection, ECR represents Evidence Convincingness Ranking, AS represents Argumentation Summary, ASR represents Summary Quality Ranking and SQE represents Summary Quality Checking.

E.2 Annotation Template

We provide a annotation template that we shape the task into binary classification task in order to simplify the task, example can be seen in Table 13. And annotation template for summarisation ranking task in Table 15.

F Formula of Contrastive learning

Analogous to Alshomary et al. (2021), we define the contrastive loss as follows:

$$\mathcal{L}(A, P, N) = \max(\|f(A) - f(P)\|_2 - \|f(A) - f(N)\|_2 + \alpha, 0)$$

Here, A represent the concatenation of topic and claim, P is the positive input (i.e. convincing evidence), N is the negative input (i.e. non-convincing evidence), α reflects the margin between positive and negative pairs, and f is an embedding.

Example Annotate Template For Task 1

Input Instance

Evidence Candidate: Research by the Schoolwear Association found that 83% of teachers thought a good school uniform ... could prevent bullying based on appearance or economic background.' Claim: School uniform reduces bullying

Binary Question:

Question 1: Would you think the snippet is relevant to the claim Answer: YES
Question 2: Would you think the snippet supports the claim Answer: YES

Table 13: Annotate Template for Task 1

G Experiment Setting

To establish benchmarks for our ASE datasets, we trained the baseline models from the previous section. All of the proposed models were trained and tested on two NVIDIA Tesla A100 80GB GPUs. All classification models were trained for 15 epochs (batch size of 64 (large), 32 (3B) and 8 (11B) respectively), while the summary model was trained for 5 epochs (batch size of 16 (large) and 4 (3B) respectively). The maximum input length for the summary task is 1024 and the max target length is 512. Other parameters are set by default. All contrastive learning models were trained for 10 epochs with the training batch size as 32 for Roberta-large and Setence-t5-large, 8 for Sentence-t5-3B, respectively. The learning rate was set as $3e^{-5}$ and the maximum input sequence length was 256. We used Euclidean distance as the measurement between two embeddings in the contrastive loss function with α as 5 by default. The model with the best accuracy on the validation set was taken as the final trained model for inference.

H Project Debater’s output

Figure 2 shows the result of IBM Project Debater.

I Ablation Experiment

Quality of Settings: Table 11 at Appendix C demonstrates the performance models as judged by humans and interpreted with IRT. Overall, the gold setting is significantly better than the evidence chosen by the baseline model (c.f. Average Golden vs Average Baseline), suggesting that there is scope for improvement on this challenging task. In the gold setting, the scenario that performs best occurs when all evidence is readily accessible (c.f. average All, Best and Top2 scores). This suggests

that the more comprehensive the model, the more effectively it can assess the quality of evidence, especially when the data is of high quality. In such cases, the model benefits from the additional information provided by the inputs. However, when supplied with irrelevant evidence, the models’ performances tend to deteriorate due to the increased presence of noise (compare Top to All).

Performance of Models: When it comes to specific models, as can be seen from the output of BT (From left to right: GPT4, GPT-3.5, GPT3, Bard, Alpaca, Vicuna = {9.2483,9.1009,6.0515,-1.4266,-1.2101,-1.0872}), GPT4 performed best in all settings followed by GPT-3.5 while Alpaca and Vicuna performed worst, which demonstrates that more powerful models perform better in this task. Bard performs poorly, maybe due to the fact that it will disregard instructions to generate both supporting and opposing text where the source of the information cannot be identified, in the case of supporting evidence provided only.

J Example of whole dataset

Table 14 shows the overview of whole dataset


```

EvidenceDetectionClient: 100%|██████████| 5/5 [00:00<00:00, 12.40it/s]
Number of evidences: 5
ClaimDetectionClient: 100%|██████████| 5/5 [00:00<00:00, 8.93it/s]
Number of claims: 5
ClaimBoundariesClient: 100%|██████████| 5/5 [00:01<00:00, 5.00it/s]
Running pro con:
ProConClient: 100%|██████████| 5/5 [00:00<00:00, 12.20it/s]
Generating speech:
14/12/2023 00:53:33, SpeechResultResponse=657a520d4ec354530b5e3fef, motionGenerationid=0, status=RUNNING, started to wait at 14/12/2023 00:53:33

Speech:

Greetings, Partners! The following speech is based on 5 arguments mined, contesting the notion that We should end mandatory retirement.
These were the arguments from the crowd, supporting the idea that We should end mandatory retirement. Thank you for listening.

```

Figure 2: Output of narrative generation of Project Debater

Topic: Shall we prohibit flag burning?		Claim	Evidence	Ranking
1	Flags are important symbols that should be respected.	C_1		
2	Flag burning is an inflammatory act.	C_2		
3	Warren was of the opinion that laws against flag-burning are constitutional.		$\bar{C}_1 - \bar{E}_1$	Better
4	Proponents of legislation to proscribe flag burning argue that burning the flag is a very offensive gesture that deserves to be outlawed.		$C_2 - E_1$	Best
5	According to the ordinance in Hong Kong, a flag may not be used in advertisements or trademarks, and that publicly and wilfully burning, mutilating, scrawling on, defiling or trampling the flag is considered flag desecration.		$C_2 - E_2$	Worse
6	Rehnquist argued that flag burning is no essential part of any exposition of ideas but rather the equivalent of an inarticulate grunt or roar that, it seems fair to say, is most likely to be indulged in not to express any particular idea, but to antagonize others.		$C_2 - E_3$	Moderate
Summary: Select the appropriate evidence(s) to draw up a debate script		Suff	Fact-Err	Ranking
7	Supporters of the prohibition believe that flags are important symbols that must be respected. They point to the opinions of justices like Warren who considered laws against flag-burning to be constitutional. Further, they argue that flag burning is an inflammatory act, an offensive gesture that should be outlawed. They insist that to allow such an act would be to condone disrespect and provocation, potentially leading to societal discord.	Yes	Yes	2

Table 14: Examples of the full range of tasks included in the proposed dataset in a positive stance. The claims are derived from publicly known data that already exist, and the evidence is handpicked and paired with the claims by human experts (Task1). Six different models were asked to select the most convincing claim and evidence (Task2) to write a speech (Task3). All summaries were finally annotated by the human experts for argument sufficiency, the presence of factual errors (e.g. the word justices like in the example is hallucination), and the ranking of quality among all summaries.

Example Annotate Template For Task 3	
Input Instance	Ranking
Topic: Routine child vaccinations should be mandatory	
The topic of mandatory routine child vaccinations is a hotly contested one. Those opposing it bring forth several reasons, starting with the potential dangers and side effects associated with vaccines. For instance, the Rotashield vaccine was withdrawn from the market after links to higher instances of bowel obstructions were discovered, providing a chilling example of how vaccines can sometimes go wrong. Opponents also argue that mandating vaccinations would infringe upon the basic rights of individuals. They cite the First Amendment of the US Constitution, arguing that the mandate could interfere with the right to exercise personal and religious beliefs freely. The necessity of vaccinations is another point of contention. Critics point out that, according to the Mayo Clinic, natural infection often provides more robust immunity than a series of vaccinations, challenging the idea that routine vaccinations are essential to keep children healthy.	1
Sure, here is a summary of the debate on whether routine child vaccinations should be mandatory: Pro-mandatory vaccination Vaccinations are safe and effective. They have been proven to prevent a variety of serious diseases, including measles, mumps, rubella, polio, and tetanus. Vaccinations are essential for public health. When a large percentage of the population is vaccinated, it creates herd immunity, which protects those who cannot be vaccinated, such as infants and people with weakened immune systems. Mandatory vaccination is a necessary way to protect public health. It is the only way to ensure that everyone who can be vaccinated is vaccinated, and that herd immunity is maintained. Anti-mandatory vaccination Vaccinations can have serious side effects, such as allergic reactions and neurological disorders. Mandatory vaccination violates individual rights. People have the right to make their own decisions about their health care, including whether or not to vaccinate their children. There are other ways to protect public health, such as education and personal hygiene. Conclusion The debate on whether routine child vaccinations should be mandatory is a complex one. There are valid arguments on both sides of the issue. Ultimately, it is up to each individual to decide whether or not to vaccinate their children. However, it is important to be informed about the risks and benefits of vaccination before making a decision. Here are some additional points that may be relevant to the debate: The risk of serious side effects from vaccination is very low. According to the Centers for Disease Control and Prevention (CDC), the risk of a serious side effect from a vaccine is about one in a million. The benefits of vaccination are much greater than the risks. Vaccinations have helped to save millions of lives and prevent countless cases of serious illness. Mandatory vaccination is not a new idea. It has been used for many years to protect public health. There are many ways to educate people about the benefits and risks of vaccination. This can be done through schools, health care providers, and other community organizations. It is important to have a balanced discussion about this issue. We should not demonize people who choose not to vaccinate their children. We should also not dismiss the concerns of those who are hesitant to vaccinate. By working together, we can find ways to protect public health while also respecting individual rights.	2
### Assistant: The opponents of routine child vaccinations argue that mandatory vaccinations are dangerous. They point to the case of Rotashield, a vaccine for rotavirus, which was pulled from the market by the manufacturer after it was discovered that the vaccine might have contributed to higher instances of intussusception (bowel obstruction). They also argue that mandatory vaccination contradicts basic rights, citing the First Amendment of the US Constitution. Finally, they argue that routine child vaccinations are not necessary to keep children healthy, citing the fact that natural infection often provides more complete immunity than a series of vaccinations. ### Human: What kind of arguments can be made to counter the opponents to routine child vaccinations? ### Assistant: There are several arguments that can be made to counter the opponents of routine child vaccinations: 1. Vaccines are safe and effective: While there may be rare side effects to vaccines, the benefits of vaccination far outweigh the risks. Vaccines have saved millions of lives and prevented countless illnesses and diseases. 2. Vaccines protect not just the individual but also the community: Vaccines are not just about protecting individual children, but also about protecting the entire community. By ensuring that children are vaccinated, we can reduce the spread of diseases and protect those who are too young to be vaccinated or those who cannot receive vaccines due to medical reasons. 3. Vaccines are essential for public health: Vaccines are an essential tool for preventing and controlling infectious diseases. Without vaccines, we would be at much greater risk of outbreaks and epidemics. 4. Mandatory vaccinations are necessary: In some cases, mandatory vaccinations may be necessary to protect public health. When there is a high risk of outbreaks or epidemics, mandatory vaccinations can help to prevent the spread of disease. 5. Vaccines are a personal choice: While some may argue that mandatory vaccinations infringe on their personal freedom, it is important to remember that vaccines are a personal choice that affects not just the individual but also the community. Ultimately, the decision to vaccinate should be based on the best available scientific evidence and the advice of healthcare professionals."	3

Table 15: Annotate Template for Task 3