

IF-GEO: Conflict-Aware Instruction Fusion for Multi-Query Generative Engine Optimization

Heyang Zhou¹, JiaJia Chen², Xiaolu Chen¹, Jie Bao¹, Zhen Chen^{1*}, Yong Liao¹

¹School of Cyber Science and Technology, University of Science and Technology of China

²Institute of Dataspace, Hefei Comprehensive National Science Center, Hefei, China

{heyangzhou, jia2chan, xiaoluchen, baojie1996, cz2016}@mail.ustc.edu.cn

yliao@ustc.edu.cn

Abstract

As Generative Engines revolutionize information retrieval by synthesizing direct answers from retrieved sources, ensuring source visibility becomes a significant challenge. Improving it through targeted content revisions is a practical strategy termed Generative Engine Optimization (GEO). However, optimizing a document for diverse queries presents a constrained optimization challenge where heterogeneous queries often impose conflicting and competing revision requirements under a limited content budget. To address this challenge, we propose IF-GEO, a “*diverge-then-converge*” framework comprising two phases: (i) mining distinct optimization preferences from representative latent queries; (ii) synthesizing a *Global Revision Blueprint* for guided editing by coordinating preferences via conflict-aware instruction fusion. To explicitly quantify IF-GEO’s objective of cross-query stability, we introduce risk-aware stability metrics. Experiments on multi-query benchmarks demonstrate that IF-GEO achieves substantial performance gains while maintaining robustness across diverse retrieval scenarios. Our codes are available at <https://github.com/yangjizc/IF-GEO>.

1 Introduction

The evolution from traditional Search Engines (SEs) to Generative Search Engines (GSEs) represents a significant shift in information retrieval (Brin and Page, 1998; Aggarwal et al., 2024). Unlike SEs, which present ranked lists of hyperlinks, GSEs adopt a retrieve-then-generate paradigm (Lewis et al., 2020; Karpukhin et al., 2020). By employing Large Language Models (LLMs) to synthesize direct answers from retrieved documents, GSEs provide users with synthesized information rather than a list of sources.

However, ensuring source visibility presents a significant challenge for content providers. Since

*Corresponding author.




Figure 1: Challenges of GEO. Revision requests of different queries can be *conflicting* and *competitive* under a limited content budget. GEO have no idea which query to follow.

visibility depends on whether a document is selected and cited by the model rather than its ranking position, traditional optimization techniques are less effective. To address this, Generative Engine Optimization (GEO) has been proposed as a prominent strategy to improve content visibility in generated responses through targeted document revisions (Aggarwal et al., 2024).

Existing GEO methods typically utilize static heuristic rules (Aggarwal et al., 2024) or optimize content based on aggregated engine preferences inferred from ranking signals (Wu et al., 2025; Chen et al., 2025a). While recent work like RAID (Chen et al., 2025b) advances the field by modeling latent retrieval intents, it prioritizes a single aggregated intent trajectory. These approaches treat the serving of diverse heterogeneous queries as a one-dimensional optimization problem. However, in practice, a single document needs to serve diverse user queries simultaneously (Broder, 2002; Clarke et al., 2008; Wang et al., 2009). This creates a constrained optimization problem, where heterogeneous queries often impose conflicting requirements on the document’s limited content as illus-

trated in Figure 1 (Marler and Arora, 2004; Rose and Levinson, 2004). Current methods lack the mechanisms to coordinate these competing preferences. Consequently, optimizing for one query often results in diminished or negative gains for others, creating competitive imbalances that we empirically analyze in Appendix A, leading to inconsistent revisions and performance variance across the query set.

To address this challenge, we propose **IF-GEO**, a “*diverge-then-converge*” framework comprising two phases: (i) mining representative latent queries and formulating their distinct optimization preferences as structured edit requests; and (ii) synthesizing a unified *Global Revision Blueprint* for guided editing by coordinating preferences via conflict-aware instruction fusion. Crucially, we formally integrate risk-aware stability metrics into the IF-GEO optimization objective to explicitly quantify cross-query stability. By introducing Worst-Case Performance (WCP), Win-Tie Rate (WTR), and Downside Risk (DR), we establish a robust standard that addresses the limitations of mean-variance evaluations—which often mask tail degradations and conflate beneficial upside with harmful downside volatility.

Our contributions are summarized as follows:

- We propose **IF-GEO**, a “*diverge-then-converge*” framework. It predicts latent queries to formulate specific edit requests and employs conflict-aware instruction fusion to synthesize a unified *Global Revision Blueprint* for coherent document revision.
- We introduce an evaluation methodology utilizing risk-aware stability metrics—specifically Worst-Case Performance, Downside Risk, and Win-Tie Rate—to explicitly quantify the safety and robustness of optimization across diverse queries.
- Empirical results on multi-query benchmarks demonstrate that IF-GEO achieves substantial improvements in overall visibility while effectively mitigating performance variance, ensuring robust stability across heterogeneous retrieval scenarios.

2 Related Works

2.1 Generative Search Engines

Generative Search Engines (GSEs) increasingly follow a *retrieve-then-generate* paradigm, producing

answer-centric responses with explicit source attributions. Technically, many such systems build on retrieval-augmented generation (RAG) (Lewis et al., 2020) and retrieval-augmented pretraining/memory architectures such as REALM (Guu et al., 2020) and RETRO (Borgeaud et al., 2022). In practice, these pipelines often pair dense neural retrievers (e.g., DPR) (Karpukhin et al., 2020) with multi-passage evidence fusion generators (e.g., FiD) (Izacard and Grave, 2021). Unlike traditional search engines that prioritize document ranking based on keyword matching (Gleason et al., 2023), GSEs leverage the semantic reasoning capabilities of LLMs to synthesize information from multiple disparate sources (Li et al., 2025). To improve verifiability and citation consistency, prior work has introduced browsing/citation constraints and dedicated benchmarks for attribution quality (e.g., WebGPT (Nakano et al., 2021), GopherCite (Menick et al., 2022), and CITE (Gao et al., 2023)). These architectural shifts fundamentally alter the optimization landscape, motivating downstream objectives that emphasize not just retrieval rank, but visibility and attribution within the generated narrative.

2.2 Generative Engine Optimization

Generative Engine Optimization (GEO) aims to improve visibility within generative answers through content modifications. Existing work broadly falls into three lines. (i) Single-objective and heuristic optimization. Early work formalized GEO with heuristic strategies (Aggarwal et al., 2024), while recent works explored specific interventions like caption injection (Chen and Liao, 2025) or transformer-based rewriting (Lüttgenau et al., 2025). These approaches apply preset or single-target editing rules, lacking adaptation to diverse query conflicts. (ii) Feedback-driven Optimization. This line treats engines as black boxes, optimizing content by inferring implicit preferences from ranking signals (Wu et al., 2025) or employing iterative feedback loops (Bagga et al., 2025; Chen et al., 2025a). However, they often overfit to specific engine behaviors and ignore cross-query stability. (iii) Intent-based optimization. This line considers optimization over a document’s latent queries. RAID leverages multi-role reflection to generalize latent search intents (Chen et al., 2025b), but optimizes around a single aggregated intent. Overall, prior methods treat optimization targets in isolation or aggregation. They lack mechanisms to coordi-

nate diverse intents, failing to balance competitive trade-offs under a limited content budget, which ultimately hinders robust and stable optimization.

3 Problem Definition

3.1 Setting and Notation

Given a query expression q , a generative engine (GE) retrieves a set of candidate documents $\mathcal{C}_q = \text{Retrieval}(q) = \{D_1, \dots, D_N\}$ and generates a response text $r_q = \text{Generate}(q, \mathcal{C}_q)$, which includes citations to documents in \mathcal{C}_q . We define an answer-induced visibility score $v(D_i, r_q)$ to quantify how visible a document $D_i \in \mathcal{C}_q$ is within the response r_q , based only on the response text and its citation/attribution signals. Since r_q is conditioned on q , we use the shorthand $v(D, q)$ to denote the visibility of a document D under query q . Importantly, $v(\cdot)$ is a *plug-in* metric and can be instantiated with different operational definitions of visibility.

3.2 Optimization Objective

Given a document D , we consider a target set of queries $Q(D) = \{q_i\}_{i=1}^m$ that represent the queries we aim to optimize for. For each $q_i \in Q(D)$, the visibility of D under q_i is measured by $v(D, q_i)$.

A GEO method \mathcal{M} takes D as input and produces an optimized document $D' = \mathcal{M}(D)$. For each query $q_i \in Q(D)$, we define the per-query visibility gain as:

$$\Delta v_i = v(D', q_i) - v(D, q_i). \quad (1)$$

We summarize the optimization effect over the query set $Q(D)$ by applying a plug-in aggregation functional $\mathcal{A}(\cdot)$ to the gain vector:

$$\Delta = \mathcal{A}(\{\Delta v_i\}_{i=1}^m). \quad (2)$$

The choice of \mathcal{A} is application-dependent and can be instantiated with different operational definitions (e.g., mean for average improvement). GEO aims to find a method \mathcal{M} that optimizes Δ under the chosen definition of \mathcal{A} .

4 Method

4.1 Overview: IF-GEO

We propose **IF-GEO**, a two-stage framework for GEO under generative engines. IF-GEO follows a “*diverge-then-converge*” workflow. In the *diverge* phase, it discover representative latent queries and elicit their distinct optimization preferences as structured edit requests. The *converge* phase then

coordinates and balances these competing preferences through conflict-aware instruction fusion, synthesizing them into a unified *global revision blueprint* that provides a comprehensive optimization direction for guided editing. Beyond maximizing average visibility, IF-GEO explicitly optimizes for stability metrics (e.g., WCP, DR) to minimize cross-query downside risks, ensuring robust performance where standard mean-based approaches often fail.

Figure 2 overviews the pipeline. All steps of IF-GEO are implemented via LLM calls, where the model acts as a constrained executor that outputs structured intermediate artifacts rather than performing free-form rewriting. Full prompt specifications and output schemas are provided in Appendix B.

We next detail the two phases of this workflow: Query Discovery and Request Generation as the *diverge* phase, followed by Instruction Fusion as the *converge* phase.

4.2 Query Discovery and Request Generation

4.2.1 Query Mining

As the first step in the *diverge* phase, we conduct **query mining** to expand the document into a representative query set. We treat this process as **reverse retrieval**: given D , we guide the LLM to act as a search analyst and discover diverse queries for which the document should be a relevant result. To ensure the set is representative and avoid redundant tuning, the system explicitly instructs the model to target different aspects of the document’s main theme while strictly prohibiting simple paraphrases. This step outputs a weighted query set $Q(D)$:

$$Q(D) = \{(q_i, w_i)\}_{i=1}^m \quad (3)$$

where each query q_i serves as a specific context for generating subsequent edit requests. The associated weight w_i is a scalar score (0–100) estimating query popularity. Drawing on the scoring capability demonstrated in G-EVAL (Liu et al., 2023), we leverage the model’s parametric knowledge to assign this priority, which guides the later fusion phase.

4.2.2 Query-specific Request Generation

Given the weighted query set $Q(D)$, the core objective of this step is to elicit the distinct optimization preferences of each query regarding the document. IF-GEO operationalizes these abstract preferences




Figure 2: Overview of the IF-GEO methodology. IF-GEO follows a “diverge-then-converge” paradigm. In Phase I, the system mines a representative query set and elicits query-specific editing requests, which may be redundant or conflicting. In Phase II, IF-GEO performs conflict-aware instruction fusion to synthesize a unified global revision blueprint, which guides controlled editing to produce an optimized document with stable visibility across queries.

into concrete, actionable *edit requests* (instruction candidates). By analyzing each query q_i in isolation, the model explicitly diagnoses specific content gaps and proposes targeted revisions to address them.

Formally, for the j -th request derived from query q_i , we define a structured request tuple:

$$r_{i,j} = \langle e_{i,j}, u_{i,j}, s_{i,j} \rangle \quad (4)$$

where $e_{i,j}$ is the excerpt-based anchor locating the target text, $u_{i,j}$ is the specific revision suggestion, and $s_{i,j}$ is a quantitative *necessity score* (0–100). Adopting the scalar evaluation methodology validated in (Liu et al., 2023), we employ this score to explicitly measure the criticality of the fix for satisfying q_i , distinguishing essential edits from marginal improvements. Aggregating these outputs yields a diverged request pool $\mathcal{R} = \{r_{i,j}\}$, which serves as the raw material for the subsequent conflict-aware fusion.

4.3 Conflict-Aware Instruction Fusion

4.3.1 Prioritization and Deduplication

The converge phase begins by consolidating the diverged request pool \mathcal{R} into a compact, high-signal candidate set. First, to identify requests with high cross-query importance, we compute a *global priority score* for each item:

$$g_{i,j} = w_i \cdot s_{i,j} \quad (5)$$

where w_i is the query weight and $s_{i,j}$ is the necessity score. We filter out low-priority requests falling below a threshold τ to control perturbation. Next, we perform semantic deduplication to remove redundancy. Requests targeting overlapping anchors with similar revision goals are merged into a single meta-request. These merged items inherit the highest necessity score from their constituents and are standardized with concise topic tags. This step reduces the raw pool into a smaller set of well-scoped candidates, ready for conflict resolution.

4.3.2 Conflict Resolution

In IF-GEO, we consider a *conflict* as a practical scenario where multiple query-specific revision requests cannot be jointly satisfied without trade-offs. Concretely, we focus on cases where two conditions tend to co-occur: (i) *Location Overlap*: the requests target the same text span or semantic anchor within the document; (ii) *Semantic Tension*: the underlying intents introduce competing or incompatible modification directions (e.g., simplifying terminology for accessibility vs. introducing domain-specific precision). This definition is not intended to be exhaustive, but serves as an operational criterion to guide conflict-aware instruction fusion.

Following deduplication, the system addresses mutually exclusive requests targeting the same content. IF-GEO employs a *priority-based resolution strategy*. Instead of relying on a rigid numerical

threshold, we delegate the decision to the model, instructing it to evaluate the priority scores (g) in context to determine the appropriate action:

- **Selection:** When the model perceives a significant priority gap, the higher-scoring instruction is strictly retained, and the conflicting one is discarded.
- **Synthesis:** When the model determines that priority scores are comparable ($g_i \approx g_j$), it generates a new compromise instruction. This instruction balances the valid needs of both queries rather than satisfying only one.

This approach leverages the model’s semantic reasoning capabilities to handle edge cases more flexibly than hard-coded rules.

4.3.3 Blueprint Construction

As the final step of the *converge* phase, we consolidate the fused instructions into a **Global Revision Blueprint**. This step is crucial for coordinating the competing needs of multiple queries within a shared content budget. We map individual instructions to their corresponding document sections and aggregate them into ordered plan items. By organizing revisions structurally rather than sequentially by query, the blueprint ensures that distinct optimization goals are integrated coherently. The resulting JSON blueprint serves as a strict execution contract, effectively resolving the structural conflicts between queries and preventing the inconsistent edits typical of single-pass optimization.

4.3.4 Blueprint-Guided Revision

In the final step, IF-GEO uses the Revision Blueprint to generate the optimized document D' . The revision model acts as a constrained editor, strictly following the blueprint instructions to modify the document section by section. Crucially, the system explicitly instructs the model to preserve all unmentioned sections exactly as is. This strict adherence ensures that the global optimization strategy is implemented accurately without introducing free-form rewriting or unintended content drift.

4.4 Risk-Aware Optimization Objective

Standard visibility maximization often masks tail degradations and conflates beneficial upside with harmful downside volatility. To address this, we formally integrate risk-aware stability metrics into

the IF-GEO objective. Beyond maximizing expected gain $\mathbb{E}[\Delta v]$, we explicitly safeguard cross-query stability through three dimensions:

- **Worst Case Performance (WCP)** establishes a safety lower bound by capturing the maximum single-query drop (Ben-Tal and Nemirovski, 1998):

$$\text{WCP} = \min_{i=1}^m \Delta v_i. \quad (6)$$

- **Downside Risk (DR)** exclusively penalizes the magnitude of negative gains to distinguish harmful failures from beneficial volatility (Mamoghli and Daboussi, 2009):

$$\text{DR} = \frac{1}{m} \sum_{i=1}^m (\min(0, \Delta v_i))^2. \quad (7)$$

- **Win-Tie Rate (WTR)** quantifies the coverage of non-regressive optimization, serving as a proxy for Pareto optimality without collateral damage (Radlinski et al., 2008):

$$\text{WTR} = \frac{1}{m} \sum_{i=1}^m \mathbb{I}(\Delta v_i \geq 0). \quad (8)$$

In summary, IF-GEO seeks to maximize visibility gain subject to minimizing DR and maximizing WCP and WTR.

5 Experimental Setup

5.1 Dataset

To evaluate performance in a realistic multi-query scenario, we adopt the benchmark introduced by RAID (Chen et al., 2025b), which expands the widely-used GEO-Bench (Aggarwal et al., 2024). In this dataset, each document D is originally a top-ranked result (top-5) retrieved by Google Search for a real-world source query. Building on this high-relevance foundation, RAID extends each source query into a cluster of five related queries. Crucially, these queries go beyond simple rephrasing that they constitute a multifaceted inquiry into the document’s topic, targeting **distinct informational dimensions** (e.g., definition, usage, pros/cons) rather than mere lexical variations. This construction forms a query set that effectively serves as a **concrete instantiation** of the representative query set described in our problem definition. Using this dataset allows us to move beyond single-query evaluation and test whether IF-GEO’s optimized document maintains high visibility and stability across **diverse user queries**.

Table 1: Comparison of IF-GEO with baseline methods on objective and subjective visibility improvements. We report overall improvement (Mean) to summarize average gains. Underlined indicates the best baseline.

Method	Objective Impression			Subjective Impression							
	Word	Position	Overall	Rel.	Infl.	Unique	Div.	FollowUp	Pos.	Count	Average
Tran. SEO	1.83	1.77	1.84	1.44	1.62	1.24	1.50	1.44	1.73	1.58	1.51
Uniq. Word	-0.70	-1.00	-0.79	-0.20	-0.16	-0.44	-0.42	-0.46	-0.71	-0.38	-0.39
Simp. Expr.	0.16	0.28	0.28	0.59	0.84	0.73	0.72	0.35	1.02	0.57	0.69
Auth. Expr.	0.97	0.88	0.92	0.56	1.08	0.60	0.86	0.57	1.29	0.74	0.81
Flue. Expr.	0.92	0.94	1.03	0.52	0.82	0.48	0.48	0.29	1.23	0.56	0.63
Term. Addi.	1.00	1.07	1.17	0.71	1.22	0.50	0.73	0.43	1.06	0.63	0.75
Cite Sources	4.47	4.59	4.71	3.17	3.45	3.36	3.16	2.96	3.83	3.26	3.31
Quot. Addi.	4.29	4.19	4.23	2.57	2.87	3.10	2.45	2.25	3.28	2.48	2.71
Stat. Addi.	3.28	3.39	3.49	2.15	2.48	2.54	1.97	1.89	3.01	2.16	2.31
RAID	1.06	0.78	0.88	1.44	1.75	1.40	1.08	0.84	1.68	1.34	1.36
Auto-GEO	<u>7.80</u>	<u>7.64</u>	<u>7.59</u>	<u>4.99</u>	<u>5.68</u>	<u>5.18</u>	<u>4.74</u>	<u>4.19</u>	<u>6.63</u>	<u>4.77</u>	<u>5.30</u>
IF-GEO	11.07	11.15	11.03	5.12	6.16	5.90	5.29	5.34	7.32	5.98	5.87

5.2 Baselines

We benchmark IF-GEO against three representative methods covering the primary paradigms in Generative Engine Optimization:

Heuristic-based: GEO (Aggarwal et al., 2024). Representing static, query-agnostic optimization, this framework applies nine human-designed heuristic rules. We evaluate all nine strategies, ranging from stylistic interventions (e.g., AUTHORITATIVE) to content enrichment (e.g., STATISTICS ADDITION, CITE SOURCES).

Intent-based: RAID G-SEO (Chen et al., 2025b). Representing intent-driven optimization, RAID employs a “4W” multi-role reflection mechanism to infer and refine latent user search intents. It guides content rewriting by deepening a single, focused intent trajectory.

Preference-based: Auto-GEO (Wu et al., 2025). Representing data-driven optimization, this framework automatically learns generative engine preferences from large-scale ranking data. We apply the learned, engine-specific rule sets to optimize target documents based on global utility signals.

For a fair comparison, all baselines and IF-GEO are implemented using the same underlying LLM (GPT-4o-mini) and decoding configurations to isolate the impact of the optimization methodology.

5.3 Evaluation Metrics

Following the protocol in GEO-bench (Aggarwal et al., 2024), we evaluate both overall visibility and cross-query stability. For each query q_i , we compute the visibility score $v(D, q_i)$ and the optimization gain Δv_i .

Visibility Instantiations $v(\cdot)$. We instantiate $v(\cdot)$ with: (i) **Objective Impression**, the Position-Adjusted Word Count (PAWC) that weights cited text volume by citation position; and (ii) **Subjective Impression**, a qualitative LLM-as-a-judge score implemented via G-EVAL (Liu et al., 2023) and normalized to match PAWC statistics following (Aggarwal et al., 2024).

Aggregation Strategies $\mathcal{A}(\cdot)$. To comprehensively evaluate the gain vector $\{\Delta v_i\}_{i=1}^m$, we instantiate the aggregation functional $\mathcal{A}(\cdot)$ (defined in §3) using distinct criteria. We report **Mean** and **Variance** to measure general effectiveness and volatility. Crucially, to evaluate the safety objectives formulated in §4.4, we report Worst-Case Performance (WCP), Downside Risk (DR), and Win-Tie Rate (WTR). All metrics are computed per document and averaged over the evaluation set.

5.4 Experimental Environment and Setting

We follow the simulated generative engine setup and evaluation protocol in GEO (Aggarwal et al., 2024) for reproducibility. All experiments are conducted under a single target generative engine, GPT-4o-mini, using the same decoding parameters as GEO to ensure comparability.

For IF-GEO, all internal calls use the same model. Unless otherwise specified, we use: query expansion size $N_q=5$, suggestions per query $N_s=5$, internal temperature 0.2, and global priority filtering threshold $\tau=0.7$. We analyze the impact of query expansion size in §6.3.

Due to the cost of generative-engine evaluation, different experiments use different numbers

Table 2: Comparison of IF-GEO with baseline methods in robustness and stability across queries. We report variance (VAR \downarrow), worst-case performance (WCP \uparrow), win–tie rate (WTR \uparrow), and downside risk (DR \downarrow) for both the primary objective metric (*Obj. Overall*) and subjective metric (*Subj. Average*).

Method	Objective (Overall)				Subjective (Average)			
	VAR (\downarrow)	WCP (\uparrow)	WTR (\uparrow)	DR (\downarrow)	VAR (\downarrow)	WCP (\uparrow)	WTR (\uparrow)	DR (\downarrow)
Tran. SEO	0.0147	-0.0878	68.93%	0.0062	0.0199	-0.1026	88.19%	0.0080
Uniq. Word	0.0157	-0.1316	61.04%	0.0095	0.0226	-0.1361	85.34%	0.0130
Simp. Expr.	0.0116	-0.1051	66.43%	0.0058	0.0156	-0.0939	88.17%	0.0073
Auth. Expr.	0.0136	-0.1018	65.84%	0.0065	0.0200	-0.1148	86.89%	0.0089
Flue. Expr.	0.0130	-0.1028	68.93%	0.0061	0.0187	-0.1084	87.38%	0.0091
Term. Addi.	0.0143	-0.1113	67.31%	0.0062	0.0216	-0.1266	86.61%	0.0103
Cite Sources	0.0165	-0.0785	72.06%	0.0044	0.0209	-0.0892	88.93%	0.0070
Quot. Addi.	0.0173	-0.0831	70.56%	0.0055	0.0218	-0.1013	88.25%	0.0087
Stat. Addi.	0.0173	-0.0901	72.58%	0.0060	0.0203	-0.0946	88.48%	0.0074
RAID	0.0166	-0.1141	64.50%	0.0088	0.0195	-0.1100	82.37%	0.0089
Auto-GEO	0.0159	-0.0511	73.56%	0.0043	0.0203	-0.0798	84.19%	0.0064
IF-GEO	0.0189	-0.0090	80.50%	0.0023	0.0116	-0.0419	85.56%	0.0036

of queries. Unless otherwise specified, main results are evaluated on 1,000 queries, matching the original GEO test set. Ablation studies use 250 queries, and the query expansion analysis in §6.3 uses 500 queries. All queries are sampled from the same distribution.

6 Experiments

6.1 Main Results

Overall effectiveness. Table 1 compares IF-GEO with a diverse set of baselines. IF-GEO achieves the best performance across all objective and subjective dimensions, reaching an objective overall score of 11.03 and a subjective average of 5.87. Notably, Auto-GEO forms the strongest baseline tier across nearly all dimensions, reflecting the effectiveness of explicitly extracted generative-engine preference rules in shaping citation- and visibility-oriented content. RAID yields limited gains in our simulation. This performance lag likely stems from its singular query trajectory—converging on one refined query from a single initial estimate—which fails to sufficiently span the latent queries or capture heterogeneous user expectations. Within GEO heuristics, evidence-driven strategies (e.g., CITE SOURCES, QUOTE ADDITION) are consistently strongest, while lexical interventions (e.g., UNIQ. WORD) can even hurt performance.

Robustness and stability. Beyond average gains, Table 2 reports stability summaries over the latent queries. IF-GEO achieves the best objective WCP and the lowest DR, indicating strong protection against query-specific regressions. Notably, a higher VAR does not necessarily imply worse tail

stability, as variance captures both positive and negative dispersion. DR and WCP more directly characterize downside behavior across queries. While Auto-GEO is the strongest baseline on several tail-oriented criteria, it still exhibits larger worst query drops than IF-GEO, and heuristic methods remain more brittle.

Overall, these results confirm that explicitly coordinating revisions to resolve conflicts yields higher and safer holistic visibility than applying isolated, query-agnostic edits.

6.2 Ablation Study

To quantify each component’s contribution, we ablate IF-GEO by removing conflict resolution, blueprint construction, or the entire instruction fusion stage (Phase II). Table 3 reveals a clear division of labor. Conflict resolution acts as a safety guardrail: without it, incompatible query-specific edits propagate into execution, producing the largest overall drop and the worst tail behavior (more negative WCP and higher DR). Instruction fusion is the main stabilizer across queries: removing it most strongly reduces reliability (WTR) and amplifies downside risk, consistent with uncoordinated local requests being redundant or misaligned when aggregated. In contrast, blueprint construction primarily affects gain realizability—removing it lowers the achievable overall score while leaving DR essentially unchanged. Together, these results suggest a separation of concerns: conflict resolution and instruction fusion primarily affect stability across queries, while blueprint construction mainly improves the executability of the aggregated edits.




Figure 3: Effect of query expansion size N on performance and stability. (a) Overall objective performance (Mean). (b) Win–tie rate (WTR). (c) Worst-case performance (WCP). (d) Volatility metrics: variance (VAR) and downside risk (DR; lower is better).

Table 3: Ablation study of IF-GEO. We report the overall objective score (Mean) and stability metrics (VAR, WCP, WTR, DR) to demonstrate the contribution of each component.

Variant	Mean (\uparrow)	VAR (\downarrow)	WCP (\uparrow)	WTR (\uparrow)	DR (\downarrow)
IF-GEO (Full)	9.24	0.0156	-0.0328	80.80%	0.0021
w/o Blueprint	8.18	0.0167	-0.0517	81.20%	0.0021
w/o Instru. Fusion	7.07	0.0156	-0.0569	74.80%	0.0043
w/o Conflict Res.	6.14	0.0174	-0.0713	77.20%	0.0032

6.3 Impact of query expansion Size

We examine the scaling behavior of IF-GEO by varying the number of expanded queries $N \in \{1, 3, 5, 7, 9\}$ while keeping other hyperparameters fixed. Figure 3 shows that increasing N yields consistent gains: the objective mean performance rises monotonically from 8.06 at $N=1$ to 10.02 at $N=9$ (Figure 3a). Stability also improves overall as query coverage expands, with lower downside risk and less negative worst-case performance. However, these stability gains exhibit diminishing returns beyond $N=5$ (Figure 3b–d): WTR peaks at $N=5$ (80.00%) and then fluctuates, while DR and WCP change only marginally from $N=5$ to $N=9$. Since computation scales roughly linearly with N due to query generation and fusion overhead, we adopt $N=5$ as a balanced default that achieves near-peak stability with competitive gains at substantially lower latency.

6.4 Adaptability Analysis

We further examine the adaptability of IF-GEO under two realistic variations: changing the underlying generative engine and varying the initial ranking of optimized documents.

Cross-model generalization. We evaluate IF-GEO on a different generation model, *Gemini-2.0-Flash*, without any method-specific tuning. As shown in Appendix E, IF-GEO consistently

achieves the strongest objective gains and favorable stability profiles compared with all baselines. Notably, while Auto-GEO remains a competitive baseline by leveraging engine-specific preference rules, IF-GEO preserves its advantages in worst-case performance and win–tie rate, suggesting that explicit cross-query consolidation generalizes beyond a single generative engine.

Sensitivity to initial document ranking. We further analyze IF-GEO by stratifying documents according to their initial ranking positions prior to optimization. Results in Appendix D show that IF-GEO yields consistent improvements across all rank buckets, rather than concentrating gains on already well-ranked documents. In particular, both objective and subjective metrics indicate stable worst-case performance and low downside risk even for lower-ranked inputs, suggesting that IF-GEO improves content robustness rather than merely exploiting positional advantages.

7 Conclusion

We study Generative Engine Optimization, aiming to improve a document’s visibility across a representative query set while maintaining cross-query stability. We propose **IF-GEO**, a “diverge-then-converge” framework that discovers latent queries, elicits query-specific edit requests (instruction candidates), and fuses them via prioritization, deduplication, and conflict resolution into a unified, executable revision blueprint for blueprint-guided editing. Experiments on GEO-Bench under GPT-4o-mini show that IF-GEO surpasses strong baselines, achieving higher overall gains with lower downside risk. These results underscore the importance of explicitly coordinating competing revision signals for robust GEO beyond single-query tuning.

Limitations

Despite its effectiveness, our work has three main limitations. First, **Inference Cost**. The multi-stage “diverge-then-converge” workflow involves multiple LLM calls, resulting in higher token consumption than single-pass baselines. Second, **Simulation Gap**. Following standard GEO protocols, we rely on LLM-simulated environments (e.g., GPT-4o-mini). While reproducible, these simulations may not perfectly mirror the commercial engines. Third, **Dependency on Query Discovery**. The quality of the Global Revision Blueprint hinges on the representativeness of the mined queries. If the initial query expansion fails to capture the true latent search intent distribution, the subsequent optimization may be misaligned.

Acknowledgements

This work was supported by the National Science and Technology Innovation 2030 Major Project (Grant No. 2025ZD1502104) and the National Natural Science Foundation of China (No. 62576003).

References

- Pranjal Aggarwal, Vishvak Murahari, Tanmay Rajpurohit, Ashwin Kalyan, Karthik Narasimhan, and Ameet Deshpande. 2024. [GEO: generative engine optimization](#). In *Proceedings of the 30th ACM SIGKDD Conference on Knowledge Discovery and Data Mining, KDD 2024, Barcelona, Spain, August 25-29, 2024*, pages 5–16. ACM.
- Puneet S Bagga, Vivek F Farias, Tamar Korkotashvili, Tianyi Peng, and Yuhang Wu. 2025. E-geo: A testbed for generative engine optimization in e-commerce. *arXiv preprint arXiv:2511.20867*.
- Aharon Ben-Tal and Arkadi Nemirovski. 1998. Robust convex optimization. *Mathematics of operations research*, 23(4):769–805.
- Sebastian Borgeaud, Arthur Mensch, Jordan Hoffmann, Trevor Cai, Eliza Rutherford, Katie Millican, George van den Driessche, Jean-Baptiste Lespiau, Bogdan Damoc, Aidan Clark, Diego de Las Casas, Aurelia Guy, Jacob Menick, Roman Ring, Tom Hennigan, Saffron Huang, Loren Maggiore, Chris Jones, Albin Cassirer, and 9 others. 2022. [Improving language models by retrieving from trillions of tokens](#). In *International Conference on Machine Learning, ICML 2022, 17-23 July 2022, Baltimore, Maryland, USA*, volume 162 of *Proceedings of Machine Learning Research*, pages 2206–2240. PMLR.
- Sergey Brin and Lawrence Page. 1998. [The anatomy of a large-scale hypertextual web search engine](#). *Comput. Networks*, 30(1-7):107–117.
- Andrei Broder. 2002. [A taxonomy of web search](#). *SIGIR Forum*, 36(2):3–10.
- Mahe Chen, Xiaoxuan Wang, Kaiwen Chen, and Nick Koudas. 2025a. [Generative engine optimization: How to dominate AI search](#). *CoRR*, abs/2509.08919.
- Xiaolu Chen and Yong Liao. 2025. [Caption injection for optimization in generative search engine](#). *CoRR*, abs/2511.04080.
- Xiaolu Chen, Haojie Wu, Jie Bao, Zhen Chen, Yong Liao, and Hu Huang. 2025b. [Role-augmented intent-driven generative search engine optimization](#). *CoRR*, abs/2508.11158.
- Charles L. A. Clarke, Maheedhar Kolla, Gordon V. Cormack, Olga Vechtomova, Azin Ashkan, Stefan Büttcher, and Ian MacKinnon. 2008. [Novelty and diversity in information retrieval evaluation](#). In *Proceedings of the 31st Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR 2008, Singapore, July 20-24, 2008*, pages 659–666. ACM.
- Tianyu Gao, Howard Yen, Jiatong Yu, and Danqi Chen. 2023. [Enabling large language models to generate text with citations](#). In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing, EMNLP 2023, Singapore, December 6-10, 2023*, pages 6465–6488. Association for Computational Linguistics.
- Jeffrey L. Gleason, Desheng Hu, Ronald E. Robertson, and Christo Wilson. 2023. [Google the gatekeeper: How search components affect clicks and attention](#). In *Proceedings of the Seventeenth International AAAI Conference on Web and Social Media, ICWSM 2023, Limassol, Cyprus, June 5-8, 2023*, pages 245–256. AAAI Press.
- Kelvin Guu, Kenton Lee, Zora Tung, Panupong Pasupat, and Ming-Wei Chang. 2020. [REALM: retrieval-augmented language model pre-training](#). volume abs/2002.08909.
- Gautier Izacard and Edouard Grave. 2021. [Leveraging passage retrieval with generative models for open domain question answering](#). In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume, EACL 2021, Online, April 19 - 23, 2021*, pages 874–880. Association for Computational Linguistics.
- Vladimir Karpukhin, Barlas Oguz, Sewon Min, Patrick Lewis, Ledell Wu, Sergey Edunov, Danqi Chen, and Wen-tau Yih. 2020. [Dense passage retrieval for open-domain question answering](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing, EMNLP 2020, Online, November 16-20, 2020*, pages 6769–6781. Association for Computational Linguistics.
- Patrick Lewis, Ethan Perez, Aleksandra Piktus, Fabio Petroni, Vladimir Karpukhin, Naman Goyal, Heinrich Küttler, Mike Lewis, Wen-tau Yih, Tim Rocktäschel, Sebastian Riedel, and Douwe Kiela. 2020.

- Retrieval-augmented generation for knowledge-intensive NLP tasks. In *Advances in Neural Information Processing Systems 33: Annual Conference on Neural Information Processing Systems 2020, NeurIPS 2020, December 6-12, 2020, virtual*.
- Xiaoxi Li, Jiajie Jin, Yujia Zhou, Yuyao Zhang, Peitian Zhang, Yutao Zhu, and Zhicheng Dou. 2025. From matching to generation: A survey on generative information retrieval. *ACM Trans. Inf. Syst.*, 43(3):83:1–83:62.
- Yang Liu, Dan Iter, Yichong Xu, Shuohang Wang, Ruochen Xu, and Chenguang Zhu. 2023. G-eval: NLG evaluation using gpt-4 with better human alignment. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing, EMNLP 2023, Singapore, December 6-10, 2023*, pages 2511–2522. Association for Computational Linguistics.
- Florian Lüttgenau, Imar Colic, and Gervasio Ramirez. 2025. Beyond SEO: A transformer-based approach for reinventing web content optimisation. *CoRR*, abs/2507.03169.
- Chokri Mamoghli and Sami Daboussi. 2009. Performance measurement of hedge funds portfolios in a downside risk framework. *The Journal of Wealth Management*, 12(2):101.
- R Timothy Marler and Jasbir S Arora. 2004. Survey of multi-objective optimization methods for engineering. *Structural and multidisciplinary optimization*, 26(6):369–395.
- Jacob Menick, Maja Trebacz, Vladimir Mikulik, John Aslanides, H. Francis Song, Martin J. Chadwick, Mia Glaese, Susannah Young, Lucy Campbell-Gillingham, Geoffrey Irving, and Nat McAleese. 2022. Teaching language models to support answers with verified quotes. *CoRR*, abs/2203.11147.
- Reiichiro Nakano, Jacob Hilton, Suchir Balaji, Jeff Wu, Long Ouyang, Christina Kim, Christopher Hesse, Shantanu Jain, Vineet Kosaraju, William Saunders, Xu Jiang, Karl Cobbe, Tyna Eloundou, Gretchen Krueger, Kevin Button, Matthew Knight, Benjamin Chess, and John Schulman. 2021. Webgpt: Browser-assisted question-answering with human feedback. *CoRR*, abs/2112.09332.
- Filip Radlinski, Madhu Kurup, and Thorsten Joachims. 2008. How does clickthrough data reflect retrieval quality? In *Proceedings of the 17th ACM Conference on Information and Knowledge Management, CIKM 2008, Napa Valley, California, USA, October 26-30, 2008*, pages 43–52. ACM.
- Daniel E. Rose and Danny Levinson. 2004. Understanding user goals in web search. In *Proceedings of the 13th international conference on World Wide Web, WWW 2004, New York, NY, USA, May 17-20, 2004*, pages 13–19. ACM.
- Xuanhui Wang, Deepayan Chakrabarti, and Kunal Punera. 2009. Mining broad latent query aspects from search sessions. In *Proceedings of the 15th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, Paris, France, June 28 - July 1, 2009*, pages 867–876. ACM.
- Yujiang Wu, Shanshan Zhong, Yubin Kim, and Chenyan Xiong. 2025. What generative search engines like and how to optimize web content cooperatively. *CoRR*, abs/2510.11438.

A Multi-query Competition Diagnostic

This appendix reports a diagnostic experiment that empirically examines the competitive effects induced by *per-query tuning* in Multi-query GEO. The purpose is not to compare IF-GEO with baselines, but to provide quantitative evidence for the motivation that optimizing a document for one query can concentrate gains on that query and yield uneven outcomes across the remaining queries.

Experimental Setup. We use the same dataset, query sets, and evaluation pipeline as in the main experiments. Each instance contains one document and a representative query set of fixed size $K=5$ (constructed following the GEO-Bench setting), with no additional filtering or re-sampling.

For each document, we elicit query-conditioned edit requests independently for all queries using the same request format as IF-GEO. We then uniformly sample one query as the target i^* and perform a single per-query optimization pass that rewrites the document using only the requests associated with i^* . No information from the other queries is used during rewriting, and no cross-query fusion is performed.

We evaluate visibility before and after per-query tuning under all K queries using the primary objective visibility metric (Obj. Overall), following the definitions in Section 5.3.

Metrics. We report three statistics for each category: (i) *Mean Gain*, the average visibility improvement; (ii) $P(\text{gain} < 0)$, the rate of negative gain; and (iii) *Downside Magnitude (DM)*, defined as $\mathbb{E}[-\min(0, \text{gain})]$, which measures the expected magnitude of negative outcomes. DM is an interpretable *L1* analogue of the main-text downside risk metric DR (which squares negative gains), and is reported here only for diagnostic analysis. For relative spillover, we compute the same statistics over r_j .

Table 4: Gain allocation skew under per-query tuning (primary objective metric, Obj. Overall). We report mean gain, the negative-gain rate $P(\text{gain} < 0)$, and downside magnitude (DM) for the optimized query (i^*), the non-target queries ($j \neq i^*$), and relative spillover (r_j), aggregated over all (i^*, j) pairs.

	Mean Gain	$P(\text{gain} < 0)$	DM
Optimized query	0.277	0.124	0.017
Non-target queries	0.087	0.306	0.036
Relative spillover	-0.189	0.692	0.228

Results. Table 4 summarizes the outcomes over 202 records (200 documents, 808 (i^*, j) pairs) under the primary objective metric (Obj. Overall). per-query tuning exhibits a clear asymmetric improvement pattern across the query set. The optimized (target) query i^* achieves a substantially larger mean gain (0.277), with a relatively low negative-gain rate ($P(\text{gain} < 0) = 0.124$) and small downside magnitude (DM=0.017). In contrast, the non-target queries ($j \neq i^*$) show weaker and less reliable improvements: while the mean gain remains positive (0.087), the negative-gain rate more than doubles (0.306) and DM increases to 0.036.

Relative spillover further indicates systematic concentration of gains on the target query. On average, non-target queries lag behind the optimized query by 0.189 (mean spillover = -0.189), and in 69.2% of query pairs the spillover is negative ($P(r_j < 0) = 0.692$). Moreover, the large spillover downside magnitude (DM=0.228) suggests that when non-target queries fall behind, the gap is often substantial rather than marginal.

Discussion. Overall, this diagnostic indicates that single-query tuning primarily induces a pronounced gain allocation skew within the representative query set. Rather than causing pervasive absolute degradation on other queries, it tends to concentrate improvements on the optimized query while leaving the remaining queries with smaller and notably less stable benefits. This pattern motivates the need for *global coordination* over the query set—to achieve reliable and well-distributed improvements under a shared content budget—as pursued by IF-GEO in the main method.

B Prompts Used in IF-GEO

This section documents the main prompts used in IF-GEO. All prompts are shown in their original

form to ensure full transparency and reproducibility. They correspond to different steps of the IF-GEO pipeline and are executed sequentially.

Query Mining.

System Prompt:

You are a search log analyst. You study how real users search on the web. Your task is to infer what queries users are most likely to type when they are trying to find or understand the content of a given webpage.

Task Description:

Based on the webpage content provided by the user, infer *realistic search queries* that would naturally lead them to this page.

Your Goals:

- Generate **{num_queries}** queries that reflect **different aspects of the main theme**.
- Focus on the central topic, **not specific details** (e.g., trivial facts).
- Ensure queries are **natural, diverse, and not simple paraphrases**.
- For each query, estimate a **probability score (0–100)** reflecting real-world likelihood.

Output Format:

You must return **ONLY** a valid JSON object. Do not include markdown formatting or any other text. The format must be exactly:

```
{
  "queries": [
    {
      "query": "the inferred user query string",
      "probability": 85
    }
  ]
}
```

Query-specific Request Generation.

System Prompt:

You are an assistant who reviews how well a given webpage can answer a specific user query. Your goal is to identify concrete weaknesses in the webpage and propose clear, actionable revision suggestions.

Task Description:

You will receive a **user query** and a **webpage text**. Your task:

- Evaluate how well the webpage text could answer the query.
- Identify **specific weaknesses** in the text that may prevent a strong answer.
- Produce **up to {suggestions_num} revision suggestions** that would improve the webpage’s ability to answer the query.

Requirements for Each Suggestion:

- **Target Specificity:** Refer to a **specific part, sentence, or paragraph** of the webpage.
- **Excerpt:** Include a **short excerpt** (quoted or partially quoted) to make the target explicit.
- **Actionable:** Describe **how to modify** that part (e.g., add missing details, clarify wording, restructure, simplify).
- **Necessity Score:** Include a **necessity score (0–100)** indicating importance for answering the query.

Output Format (JSON Only):

Return ONLY a valid JSON object. Do not include markdown formatting or any other text. The format must be exactly:

```
{
  "suggestions": [
    {
      "excerpt": "short excerpt",
      "suggestion": "revision details",
      "necessity": 85
    }
  ]
}
```

Prioritization and Deduplication.

System Prompt:

You are a Senior Editor consolidating feedback from multiple readers.

Task:

You are provided with a list of revision suggestions grouped by user queries. Your goal is to **flatten** this list and **merge** duplicate suggestions that target the same content or issue.

Rules:

- **De-duplicate:** Merge suggestions ONLY if they target the **same semantic topic** AND apply to the **same approximate location (excerpt)** in the text.
 - *Constraint:* Do NOT merge suggestions that target widely separated paragraphs (e.g., “Intro” vs “Conclusion”), even if they are thematically related. Keep them as separate items with the same topic tag.
- **Filter:** Discard suggestions with necessity < 60 unless they address a critical factual error.
- **Standardize:** Output a flat list. Assign a short topic tag to each.

Output Format (JSON Only):

Return ONLY a valid JSON list. Do not include markdown formatting. Example:

```
[
  {
    "id": "suggest_1",
    "topic": "eg.Comparison Table",
    "excerpt": "short excerpt",
    "suggestion": "modify-suggestion content",
    "necessity": 95
  }
]
```

Conflict Resolution.

System Prompt:

You are a Logic Arbiter resolving content revision conflicts.

Task:

Examine the provided list of suggestions. Detect logical conflicts (where two or more suggestions cannot be simultaneously implemented) and resolve them according to the following priority-based rules.

Rules:

- **Detect Conflicts:** Look for instructions targeting the same excerpt or topic that are mutually exclusive (e.g., “Delete section” vs “Expand section”).
- **Resolve:**

- If conflict exists, prioritize the instruction with higher necessity.
- If instructions are compatible (e.g., “Shorten text” AND “Add link”), combine them into one instruction.

- **Output:** A final, clean list of instructions.

Output Format (JSON Only):

Return ONLY a valid JSON list. Do not include markdown formatting. Example:

```
[
  {
    "id": "suggest_1",
    "excerpt": "original excerpt",
    "suggestion": "instruction text..."
  }
]
```

Blueprint Construction.

System Prompt:

You are a Content Architect & Strategist.

Task:

You are given a webpage and a set of logic-checked revision instructions. Your goal is to create a **Master Revision Plan** that maps these instructions to the webpage structure.

Process:

- **Analyze Structure:** Read the webpage to understand its current flow (Intro → Body → Conclusion).
- **Map & Group:** Assign each instruction to a specific logical section of the webpage.
 - If multiple instructions target the same section (e.g., “Add history” and “Fix grammar” both in Intro), **GROUP** them into one plan item.
 - If an instruction requires a new section, decide the best insertion point to maintain flow.
- **Plan:** Output a structured blueprint.

Output Format (JSON Only):

Return ONLY a valid JSON object. Do not include markdown formatting. Example:

```
{
  "revision_blueprint": [
    {
      "section_name": "Introduction",
      "target_location": "...",
      "modification_intent": "...",
      "directives": [
        "Integrate instruction #1: ...",
        "Integrate instruction #5: ..."
      ],
      "format_note": "Keep as text paragraphs."
    }
  ]
}
```

Blueprint-Guided Revision.

System Prompt:

You are an expert Content Engineer and GEO (Generative Engine Optimization) Specialist.

Task:

Your task is to rewrite a given webpage content by strictly following a provided “Revision Blueprint”.

Rules:

- **Full Output:** You must output the **ENTIRE** rewritten webpage. Do not summarize, do not omit sections, and do not use placeholders like “[...rest of text remains same...]”.
- **Strict Execution:** Implement every directive in the Blueprint (e.g., inserting tables, adding links, rewriting paragraphs, adding new sections).
- **Preservation:** For sections NOT mentioned in the Blueprint, preserve the original text and structure exactly as is.
- **Formatting:** Use standard Markdown. If the Blueprint asks for a table, render a valid Markdown table.
- **Tone:** If the Blueprint specifies a tone change (e.g., “professional”), apply it effectively to the target section.

Output:

Return only the final rewritten content in Markdown format.

C Qualitative Case Study

This appendix presents one end-to-end example, organized by IF-GEO steps. For readability, we use ellipses (...) to indicate omitted spans.

C.1 Input Document

We start from the original document snippet, where terminology around *coagulopathy* is easy to misinterpret without careful disambiguation.

Document snippet

“Coagulopathy is a condition in which the blood’s ability to for... , leading to a tendency towards prolonged or excessive bleeding.

It can occur spontaneously or following an injury or medical procedure.

... Coagulopathies are sometimes mistakenly referred to as ‘clotti... haracterized by a predisposition to excessive clot formation. ...”

C.2 Query Mining

IF-GEO first mines a diverse query set (queries) that could reasonably lead to the document, with associated weights (here shown as probabilities).

- what is coagulopathy and its symptoms ($p=0.90$)
- causes and treatment options for coagulopathy ($p=0.85$)
- how does coagulopathy affect bleeding risk ($p=0.80$)
- difference between coagulopathy and clotting disorders ($p=0.75$)
- emergency management of coagulopathy in trauma patients ($p=0.70$)

C.3 Query-specific Request Generation.

Given each query, the system generates localized edit requests. Here we show the merged pool of

core suggestions before conflict-aware instruction fusion.

- **Excerpt:** *Coagulopathy is a condition in which the blood’s ability to form clots is impaired. . .*
Suggestion: Simplify this definition to make it more accessible. For example. . . bleeding.’ This will help readers grasp the concept more easily.
Necessity: 75
- **Excerpt:** *Coagulopathies are sometimes mistakenly referred. . . as ‘clotting disorders,’ but they are actually the opposite. . .*
Suggestion: Provide a brief explanation or definition of ‘clotting disorders’ . . . coagulopathy is the opposite of what they may mistakenly believe.
Necessity: 70
- **Excerpt:** *Coagulopathies are sometimes mistakenly referred. . . , characterized by a predisposition to excessive clot formation.*
Suggestion: Clarify the distinction between coagulopathy and clotting disord. . . rs understand why coagulopathy leads to increased bleeding risk.
Necessity: 80
- **Excerpt:** *Coagulopathies are sometimes mistakenly referred to as “clotti. . . , characterized by a predisposition to excessive clot formation.*
Suggestion: Clarify the distinction between coagulopathy and clotting disord. . . te clot formation and explain how they differ from coagulopathy.
Necessity: 90

C.4 Conflict-Aware Instruction Fusion

Multiple suggestions target overlapping anchors but imply incompatible framing. IF-GEO resolves these conflicts by producing a compact, globally consistent revision blueprint.

Section name: Definition and Terminology Clarification

Target location: The opening definition sentence starting with . . . followed by the sentence mentioning ‘clotting disorders’ . . .

Modification intent: Make the lead definition more accessible w. . . biguation and unifying terminology to prevent misinterpretation.

Directives:

1. Integrate instruction #1: Rewrite the opening definitio. . . ding multi-term contrasts inside this first definition sentence.
2. Integrate instruction #2: Add a compact disambiguation (1–2 se. . . aired clot formation and bleeding risk, not excessive clotting).
3. Integrate instruction #3: Resolve inconsistent wording by unif. . . reader cannot misinterpret coagulopathy as “excessive clotting”.

Format note: Keep within the opening paragraph; add at most 1–2 clarification sentences and do not introduce new sections.

C.5 Blueprint-Guided Revision

Finally, the document is edited under the blueprint constraints to balance readability and terminological correctness with minimal, localized changes.

Table 5: Average token consumption per stage in IF-GEO (per document).

Stage	Avg. Tokens
Query Mining	1270.6
Edit Request Generation	1749.8
Instruction Fusion	4487.6
Blueprint-Guided Revision	2819.8
Total	10327.7

Document snippet (after, expected).

“Coagulopathy is a condition in which the blood’s ability to form clots is impaired, leading to prolonged or excessive bleeding. It can occur spontaneously or following an injury or medical procedure. ... The term is sometimes confused with ‘clotting disorders,’ a br... n increased risk of bleeding, rather than excessive clotting. ...”

C.6 Token Breakdown of IF-GEO

Unlike conventional single-pass GEO baselines that rewrite a document once, IF-GEO performs a two-stage “*diverge-then-converge*” workflow, where each stage targets a distinct task. Table 5 reports the average token consumption per document for each step, aggregated over the evaluation set (prompt+completion tokens).

The dominant cost comes from **Instruction Fusion**, which consolidates query-specific edit requests into a single executable *global revision blueprint*. This stage involves joint reasoning over partially overlapping directives (e.g., deduplication, prioritization, and arbitration), and therefore scales with the diversity of intents and the number of candidate requests rather than redundant text generation.

C.7 Comparison with Single-Pass GEO Baselines

For reference, Table 6 reports the token consumption of representative single-pass GEO baselines, each executed once per document under the same model configuration. These baselines apply localized rewriting heuristics without explicitly coordinating across the representative query set.

As expected, single-pass baselines incur substantially lower token usage, since they do not explore multiple queries nor perform cross-query consolidation.

Table 6: Average token consumption of single-pass GEO baselines (per document).

Method	Avg. Tokens
Tran. SEO	2653.9
Uniq. Word	2282.8
Simp. Expr.	2204.3
Auth. Expr.	2483.7
Flue. Expr.	2171.6
Term. Addi.	2392.4
Cite Sources	2535.0
Quot. Addi.	2589.5
Stat. Addi.	2802.2

Table 7: Objective visibility on Gemini-2.0-Flash (primary objective metric: *Obj. Overall*). We report mean improvement (Mean \uparrow) and stability summaries (VAR \downarrow , WCP \uparrow , WTR \uparrow , DR \downarrow).

Method	Mean	VAR	WCP	WTR	DR
Tran. SEO	1.93	0.0252	-0.1313	70.28%	0.0089
Uniq. Word	-5.99	0.0290	-0.2187	56.12%	0.0279
Simp. Expr.	-0.88	0.0196	-0.1496	65.24%	0.0127
Auth. Expr.	-0.02	0.0241	-0.1474	65.08%	0.0137
Flue. Expr.	-1.93	0.0267	-0.1834	62.56%	0.0176
Term. Addi.	1.31	0.0231	-0.1354	69.33%	0.0102
Cite Sources	2.54	0.0246	-0.1156	74.21%	0.0089
Quot. Addi.	3.10	0.0321	-0.1284	72.58%	0.0099
Stat. Addi.	0.25	0.0190	-0.1345	71.57%	0.0108
RAID	2.80	0.0240	-0.1248	71.43%	0.0099
Auto-GEO	12.99	0.0416	-0.0578	78.91%	0.0083
IF-GEO	14.17	0.0386	-0.0435	84.07%	0.0054

D Performance Stratified by Initial Document Ranking

This appendix complements the *sensitivity to initial document ranking* analysis in Section 6.4. We stratify evaluation instances by their *initial ranking position* prior to optimization and report rank-bucketed performance of IF-GEO. The goal is to verify that improvements are not confined to already well-ranked inputs, but persist across ranking strata.

Rank buckets. Each instance is assigned to one of five buckets (**Rank1–Rank5**) according to its initial ranking position under the same evaluation setting as the main experiments, where **Rank1** corresponds to higher-ranked inputs and **Rank5** to lower-ranked inputs. All instances and metrics follow the main evaluation protocol; only the reporting is stratified by rank.

Metrics. For each bucket, we report mean improvement (Mean) and cross-query stability summaries (VAR, WCP, WTR, DR) for both the primary objective metric (*Obj. Overall*) and the subjective metric (*Subj. Average*), using the same definitions as in Section 5.3.

Table 8: Rank-stratified performance of IF-GEO by initial ranking position prior to optimization. We report mean improvement (Mean \uparrow) and stability summaries (VAR \downarrow , WCP \uparrow , WTR \uparrow , DR \downarrow) for the primary objective metric (*Obj. Overall*) and the subjective metric (*Subj. Average*).

Rank	Obj. Overall					Subj. Average				
	Mean (\uparrow)	VAR (\downarrow)	WCP (\uparrow)	WTR (\uparrow)	DR (\downarrow)	Mean (\uparrow)	VAR (\downarrow)	WCP (\uparrow)	WTR (\uparrow)	DR (\downarrow)
IF-GEO	11.03	0.0156	-0.0090	80.50%	0.0023	5.87	0.0116	-0.0419	85.56%	0.0036
Rank1	13.49	0.0174	0.0084	77.92%	0.0033	6.39	0.0140	-0.0431	85.30%	0.0054
Rank2	8.56	0.0121	-0.0281	77.36%	0.0031	6.78	0.0108	-0.0292	84.64%	0.0038
Rank3	8.71	0.0159	-0.0209	82.76%	0.0007	5.65	0.0092	-0.0223	87.59%	0.0008
Rank4	12.24	0.0140	0.0196	87.14%	0.0006	5.20	0.0119	-0.0592	87.55%	0.0028
Rank5	12.14	0.0189	-0.0154	81.43%	0.0022	4.72	0.0114	-0.0587	84.29%	0.0038

Discussion. IF-GEO yields consistent improvements across all rank buckets for both *Obj. Overall* and *Subj. Average*, indicating that gains are not concentrated exclusively on higher-ranked inputs. In particular, lower-ranked buckets (Rank4–Rank5) still achieve sizable mean improvements while maintaining favorable tail-oriented stability (e.g., competitive WCP/WTR and low DR), supporting the claim in Section 6.4 that IF-GEO improves content robustness rather than merely exploiting positional advantages.

E Evaluation on Gemini-2.0-Flash

This appendix complements the *cross-model generalization* analysis in Section 6.4. We replace the underlying generative engine with *Gemini-2.0-Flash* and re-evaluate all methods under the same dataset, query sets, and evaluation protocol as in the main experiments. Due to interface limitations, we report only the primary objective visibility metric (*Obj. Overall*) in this setting.

Setup. All GEO baselines, RAID, Auto-GEO, and IF-GEO are re-run on Gemini-2.0-Flash without any method-specific tuning. All configurations follow the main evaluation pipeline; the only change is the underlying generative engine.

Metrics. We report mean improvement (Mean) and cross-query stability summaries (VAR, WCP, WTR, DR) computed over the representative query set, following the same definitions as in Section 5.3.

Discussion. Table 7 shows that IF-GEO remains strong under a different generative engine, achieving the largest mean improvement and favorable tail-oriented stability (e.g., higher WTR and lower DR) among all methods. The overall trend is consistent with the main results, supporting the cross-model generalization claim in Section 6.4.